

## Catalogue and Bibliography of Genus *Cheiracanthium* C. L. Koch, 1839 (Arachnida: Araneida: Miturgidae)

Hisham K. El-Hennawy  
41, El-Manteqa El-Rabia St., Heliopolis,  
Cairo 11341, Egypt

### Abstract

This work includes 185 spp. and 1 ssp. of genus *Cheiracanthium*, Family Miturgidae. *C. dubium* O.P.-Cambridge, 1874 is transferred to genus *Cheiramiona*. *C. anceps* O.P.-Cambridge, 1872 = *C. mildei* L. Koch, 1864, new syn. Ten species and one subspecies are synonymized and one species is considered as *nomen dubium* according to Lotz (1995). *C. siwi* is a new name of *C. tenue* Denis, 1947, a primary junior homonym of *C. tenue* L. Koch, 1873. Four unpublished new species, described by Lotz (1995), are included.

### Introduction

In July 1997, the author visited the Hope Entomological Collection in Oxford University Museum of Natural History to examine the type material of genus *Cheiracanthium* from Egypt. It was necessary to him to prepare a catalogue of the species of this genus and the references dealing with them. Hence, this work was prepared as a grouping of the data included in the catalogues of Roewer, 1942, 1954; Brignoli, 1983; Platnick, 1989, 1993, 1997, using the same abbreviations used by their authors. After that, the work was revised and compared by the important and mostly updated "World Spider Catalog" of Platnick (2001), in which Family Miturgidae was last updated in April, 2001.

The addenda and corrigenda of this work can be summarized in the followings:

1. *C. dubium* O.P.-Cambridge, 1874 is transferred to genus *Cheiramiona* depending on drawings of the palpal organ of the holotype preserved in Oxford compared by the drawings of *Cheiramiona* species (Lotz, 1995) and the description of the genus by Lotz & Dippenaar-Schoeman (1999).
2. *C. anceps* O.P.-Cambridge, 1872 is synonymized = *C. mildei* L. Koch, 1864. (The holotype of *C. anceps* was examined in Oxford.)

3. In the Afrotropical region: ten species and one subspecies are synonymized and one species is considered as *nomen dubium* according to Lotz (1995).
4. *C. siwi* is a new name of *C. tenuie* Denis, 1947, a primary junior homonym of *C. tenuie* L. Koch, 1873.
5. Four unpublished new species from South Africa and Zimbabwe, described by Lotz (1995) are included.

This work includes 185 species and 1 subspecies.

### Acknowledgments

I wish to express my sincere and grateful thanks to Mrs. Malgosia Atkinson and Mr. I. Lansbury (Oxford University Museum of Natural History) who helped me so much and kindly admitted for examination of specimens in the collection during my visit in 1997.

---

## Family MITURGIDAE Simon, 1885

### Genus *Cheiracanthium* C. L. Koch, 1839

*Cheiracanthium* was transferred from the Clubionidae to Miturgidae by Ramírez, Bonaldo & Brescovit (1997: 45). It was considered a senior synonym of *Chiracanthops* Mello-Leitão, 1942 by Bonaldo & Brescovit (1992: 732). *Chiracanthium* is an unjustified emendation (Platnick, 1989). Brignoli (1983) used the commonest spelling '*Chiracanthium*' and considered '*Cheiracanthium*' a *lapsus calami*.

#### Transferred to other genera:

- C. akermani* Lawrence, 1942 -- to *Cheiramiona*.
- C. antarcticum* (Berland, 1931) -- to *Huara*, Family Amphinectidae.
- C. clavigerum* Simon, 1897 -- to *Cheiramiona*.
- C. dubium* O.P.-Cambridge, 1874 -- to *Cheiramiona*, new transfer.
- C. filipes* Simon, 1898 -- to *Cheiramiona*.
- C. hewitti* Lessert, 1921 -- to *Cheiramiona*.
- C. insulare* Marples, 1956 -- to *Kaitawa*, Family Gnaphosidae.
- C. mellissi* O.P.-Cambridge, 1873 -- to *Tecution*.
- C. nummosum* (Hogg, 1909) -- to *Orepukia*, Family Agelenidae.
- C. parvulum* Banks, 1898 -- to *Wulfila*, Family Anyphaenidae.
- C. planum* O.P.-Cambridge, 1873 -- to *Tecution*.
- C. ruwenzoricola* Strand, 1916 -- to *Cheiramiona*.
- C. silvicola* Lawrence, 1938 -- to *Cheiramiona*.
- C. simplicitarse* Simon, 1910 -- to *Cheiramiona*.
- C. sorensoni* Forster, 1955 -- to *Neororea*, Family Amphinectidae.
- C. tropicum* L. Koch, 1866 -- to *Eutichurus*.
- C. wenhami* Forster, 1955 -- to *Gohia*, Family Desidae.

#### In synonymy:

- C. anceps* O.P.-Cambridge, 1872 = *C. mildei* L. Koch, 1864, new synonym.

- C. andamanensis* (Tikader, 1977, T from *Clubiona*) = *C. turiae* Strand, 1916 (Deeleman-Reinhold, 2001: 199).
- C. bikakapenalcolium* Barrion & Litsinger, 1995 = *C. insulanum* (Thorell, 1878) (Deeleman-Reinhold, 2001: 228).
- C. brachyapophysis* (Caporiacco, 1955, T from *Radulphius*) = *C. inclusum* (Hentz, 1847) (Bonaldo & Brescovit, 1992: 733).
- C. castum* Lawrence, 1927 = *C. furculatum* Karsch, 1879 (Lotz, 1995: 18).
- C. circumcinctum* Schenkel, 1963 = *C. pennyi* O. P.-Cambridge, 1873 (Song, Yu & Shang, 1981: 88).
- C. diversum* L. Koch, 1873 = *C. mordax* L. Koch, 1866 (Dondale, 1966: 1178).
- C. ferum* O. P.-Cambridge, 1897 = *C. inclusum* (Hentz, 1847) (Exline, in Peck, 1975: 204).
- C. franganilloi* Caporiacco, 1949 = *C. africanum* Lessert, 1921 (Lotz, 1995: 13).
- C. frontalis* (Banks, 1909, T from *Eutichurus*) = *C. inclusum* (Hentz, 1847) (Bonaldo & Brescovit, 1992: 733).
- C. gilvum* L. Koch, 1873 = *C. mordax* L. Koch, 1866 (Dondale, 1966: 1178).
- C. gratiosum* Saito, 1939 = *C. lascivum* Karsch, 1879 (Yaginuma, 1966d: 36).
- C. haplogyna* (Mello-Leitão, 1945, T from *Matidia*) = *C. inclusum* (Hentz, 1847) (Bonaldo & Brescovit, 1992: 733).
- C. hoggi* Lessert, 1921 = *C. furculatum* Karsch, 1879 (Lotz, 1995: 18).
- C. hugiscium* Barrion & Litsinger, 1995 = *C. insulanum* (Thorell, 1878) (Deeleman-Reinhold, 2001: 228).
- C. jokohamae* Strand, 1907 = *C. unicum* Bösenberg & Strand, 1906 (Yaginuma, 1977c: 401).
- C. kiwunum* Strand, 1915 = *C. furculatum* Karsch, 1879 (Lotz, 1995: 18).
- C. lanipes* L. Koch, 1866 = *C. inclusum* (Hentz, 1847) (Bonaldo & Brescovit, 1992: 732).
- C. lawrencei* Roewer, 1951 = *C. furculatum* Karsch, 1879 (Lotz, 1995: 18).
- C. leitaoi* Roewer, 1951 = *C. inclusum* (Hentz, 1847) (Bonaldo & Brescovit, 1992: 733).
- C. mandibularis* (Mello-Leitão, 1942) = *C. inclusum* (Hentz, 1847) (Bonaldo & Brescovit, 1992: 733).
- C. melanostomellum* Roewer, 1951 = *C. furculatum* Karsch, 1879 (Lotz, 1995: 18).
- C. melanostomellum caboverdense* Schmidt & Piepho, 1994 = *C. furculatum* Karsch, 1879 (Lotz, 1995: 18).
- C. melloi* Roewer, 1951 = *C. inclusum* (Hentz, 1847) (Bonaldo & Brescovit, 1992: 733).
- C. mohasicum* Strand, 1915 = *C. furculatum* Karsch, 1879 (Lotz, 1995: 18).
- C. nairobi* Caporiacco, 1949 = *C. imbelle* Caporiacco, 1947 (Lotz, 1995: 24).
- C. natalense* Lessert, 1923 = *C. furculatum* Karsch, 1879 (Lotz, 1995: 18).
- C. nigropalpatum* Schmidt & Jocqué, 1983 = *C. africanum* Lessert, 1921 (Lotz, 1995: 13).
- C. payateum* Barrion & Litsinger, 1995 = *C. insulanum* (Thorell, 1878) (Deeleman-Reinhold, 2001: 228).
- C. popayanense* Strand, 1915 = *C. inclusum* (Hentz, 1847) (Bonaldo & Brescovit, 1992: 733).
- C. ragazzii* Boeris, 1889 = *C. inclusum* (Hentz, 1847) (Bonaldo & Brescovit, 1992: 733).
- C. sadanai* Tikader, 1976 = *C. melanostomum* (Thorell, 1895) (Deeleman-Reinhold,

2001: 231, 254).

*C. seminermis* (Caporiacco, 1947, T from *Radulphius*) = *C. inclusum* (Hentz, 1847) (Bonaldo & Brescovit, 1992: 733).

*C. subflavum* (Blackwall, 1862) = *C. inclusum* (Hentz, 1847) (Dondale & Redner, 1982: 19).

*C. tigbauanense* Barrion & Litsinger, 1995 = *C. insulanum* (Thorell, 1878) (Deeleman-Reinhold, 2001: 228).

*C. tingilium* Barrion & Litsinger, 1995 = *C. insulanum* (Thorell, 1878) (Deeleman-Reinhold, 2001: 228).

#### **Homonyms replaced:**

*C. tenue* Denis, 1947 -- see *C. siwi*, new name.

*C. vorax* Marples, 1955 -- see *C. apia*.

#### **Nomina dubia:**

*C. croceum* Workman, 1900: 107, ♀, Singapore -- omitted by Roewer.

*C. hottentottum* Strand, 1907a: 543, D o; Strand, 1907d: 685, D o, South Africa – Lotz (1995).

*C. suave* Workman, 1900: 106, ♀, Singapore -- omitted by Roewer.

*C. thorelli* Workman, 1900: 108, ♂, Singapore -- omitted by Roewer.

---

### **Catalogue of Species**

♂♀ **abbreviatum** Simon, 1878 France, Denmark

*C. a.* Simon, 1878: 262 (D ♀).

*C. pelasgicum a.* Simon, 1932: 904, 962 (D ♂♀).

♂♀ **abyssinicum** Strand, 1906 Ethiopia

*C. a.* Strand, 1906a: 633 (D ♂♀).

*C. a.* Strand, 1907d: 687 (D ♂).

*C. a.* Strand, 1908c: 35 (D ♂♀).

♂♀ **aculeatum** Simon, 1884 Sudan

*C. a.* Simon, 1884: 26, pl. 1, f. 5, 6 (D ♂♀).

♂♀ **adjacens** O.P.-Cambridge, 1885 Yarkand, Karakoram (West China)

*C. a.* O.P.-Cambridge, 1885: 24, pl. 2, f. 17 (D ♂♀).

*C. adiacens* Caporiacco, 1935: 219 (D ♂).

♂♀ **adjacenoides** Song, Chen & Hou, 1990 China

*C. a.* Song, Chen & Hou, 1990: 427, f. 1-4 (D ♂♀).

*C. paradjacens* Chen & Gao, 1990: 148, f. 186a-d (♂♀, *nomen nudum*).

*C. a.* Song, Zhu & Chen, 1999: 412, f. 241E-F, 243 C-D (♂♀).

♂ **affine** Kulczyński, 1901 Eritrea

*C. a.* Kulczyński, 1901: 48, pl. 2, f. 41, 43, 46 (D ♂).

$\delta\varphi$  **africanum** Lessert, 1921 East Africa, Kenya, Tanzania, Congo, Natal, Swaziland (South Africa), Botswana, Zimbabwe, Namibia, Réunion

C. a. Lessert, 1921: 411, f. 41-44 (D  $\delta\varphi$ ).

C. a. Lessert, 1929: 137, f. 19 (N  $\delta\varphi$ ).

C. a. Lawrence, 1947: 32 (N  $\varphi$ ).

C. *franganilloi* Caporiacco, 1949: 438, f. 72 (D  $\varphi$ ).

C. *nigropalpatum* Schmidt & Jocqué, 1983: 357, f. 3 (D  $\delta$ ).

C. a. Lotz, 1995: 13, f. 4a-h, 5 (D  $\delta\varphi$ ).

$\varphi$  **agnosticum** Strand, 1906 Ethiopia

C. a. Strand, 1906a: 633 (D o $\varphi$ ).

C. a. Strand, 1908c: 38 (D o $\varphi$ ).

$\delta\varphi$  **albidulum** (Blackwall, 1859) Madeira

*Clubiona albidula* Blackwall, 1859: 255 (D  $\varphi$ ).

C. *fauveli* Simon, 1897d: 112 (D  $\delta$ ).

C. a. Kulczyński, 1899: 415, pl. 9, f. 108-110 (N  $\delta$ ).

C. a. Denis, 1962: 42, f. 29-31 ( $\varphi$ ).

C. a. Wunderlich, 1987: 242, f. 646-647 ( $\delta\varphi$ )

$\delta\varphi$  **angulitarse** Simon, 1878 Mediterranean, Europe

C. a. Simon, 1878: 252, pl. 16, f. 11 (D  $\delta\varphi$ ).

C. a. Simon, 1932: 899, 901, 962 f. 1352, 1359 (D  $\delta\varphi$ ).

C. a. Sterghiu, 1985: 105, f. 31a-b ( $\delta\varphi$ ).

C. a. Hansen, 1991: 13, f. 11 ( $\varphi$ ).

$\varphi$  **annulipes** O.P.-Cambridge, 1872 Palestine, Egypt, Spain

C. a. O.P.-Cambridge, 1872: 254, pl. 16, f. 36 (D  $\varphi$ ).

$\delta$  **apia** Platnick, 1997 Samoa

C. *vorax* Marples, 1955: 468, pl. 57 f. 17 (D  $\delta$ ) (primary junior homonym of *C. vorax* O. P.-Cambridge, 1874).

C. a. Platnick, 1997: 702 (replacement name).

$\varphi$  **approximatum** O.P.-Cambridge, 1885 Yarkand (West China)

C. a. O.P.-Cambridge, 1885: 26, pl. 2, f. 18 (D  $\varphi$ ).

$\varphi$  **auenati** Caporiacco, 1936 Libyan Desert

C. a. Caporiacco, 1936: 118 f. 8 (D  $\varphi$ ).

$\delta$  **bantaengi** Merian, 1911 Celebes Is. (Sulawesi, Indonesia)

C. b. Merian, 1911: 280 (D  $\delta$ ).

$\delta\varphi$  **barbarum** (Lucas, 1846) Algeria

*Clubiona barbara* Lucas, 1846: 210, pl. 12, f. 8 (D  $\delta\varphi$ ).

*Anyphaena barbara* Simon, 1864: 145 (C).

C. b. Simon, 1878: 265.

$\varphi$  **bibundicum** Strand, 1908 Cameroon

*C. b.* Strand, 1908: 272 (D ♀).

♂♀ **brevicalcaratum** L.Koch, 1873 Western Australia, Lombok  
*C. b.* L.Koch, 1873: 405, pl. 31, f. 6-7 (D ♂♀).  
*C. b.* Deeleman-Reinhold, 2001: 231, f. 282-285 (♂♀).

♂♀ **brevidens** Kroneberg, 1875 Turkestan (Central Asia)  
*C. b.* Kroneberg, 1875: 18, pl. 2, f. 6 (D ♂♀).

♂♀ **brevispinum** Song, Feng & Shang, 1982 China, Korea  
*C. brevispinus* Song, Feng & Shang, 1982: 73, f. 1-5 (D ♂♀).  
*C. brevispinus* Zhu et al., 1985: 158, f. 141a-d (♂♀).  
*C. brevispinus* Song, 1987: 313, f. 267 (♂♀).  
*C. brevispinus* Zhang, 1987: 191, f. 163.1-5 (♂♀).  
*C. brevispinus* Feng, 1990: 168, f. 143.1-6 (♂♀).  
*C. b.* Paik, 1990: 7, f. 14-25 (♂♀).  
*C. brevispinus* Zhao, 1993: 316, f. 148a-b (♂♀).  
*C. b.* Song, Zhu & Chen, 1999: 413, f. 241G-H, 243E-F (♂♀).

♀ **camerunense** Strand, 1906 Cameroon  
*C. c.* Strand, 1906: 75 (D ♀).

♂♀ **campestre** Lohmander, 1944 Sweden, Poland  
*C. c.* Lohmander, 1944: 18 (D ♂♀).  
*C. c.* Tullgren, 1946: 40, pl. 7, f. 78-80 (D ♂♀).  
*C. c.* Heimer & Nentwig, 1991: 398, f. 1037 (♂♀).  
*C. c.* Próchniewicz, 1991: 175, f. 1-2, 4-5, 7-8, 10-11, 13-14 (♂).

♂♀ **canariense** Wunderlich, 1987 Canary Is.  
*C. c.* Wunderlich, 1987: 243, f. 648-652 (D ♂♀).

♀ **catindigae** Barrion & Litsinger, 1995 Philippines  
*C. c.* Barrion & Litsinger, 1995: 168, f. 96a-e (D ♀).

o♀ **caudatum** (Thorell, 1887) Burma (Myanmar)  
*Eutittha caudata* Thorell, 1887: 58 (D ♀).  
*Eutittha c.* Thorell, 1895: 44 (N o).  
*C. c.* Simon, 1901: 67 (N).

♂ **conflexum** Simon, 1906 India  
*C. c.* Simon, 1906: 297 (D ♂).  
*C. c.* Majumder & Tikader, 1991: 81, f. 170-174 (♂).

o **conspersum** (Thorell, 1891) Nicobar Is. (India)  
*Eutittha conspersa* Thorell, 1891: 27 (D o).

♀ **cretense** Roewer, 1928 Crete  
*C. c.* Roewer, 1928: 116, pl. 1, f. 22 (D ♀).

♀ **crucigerum** Rainbow, 1920 Norfolk Is. (Australia)  
*C. c.* Rainbow, 1920: 255, pl. 30, f. 73-74 (D ♀).

♀ **cuniculum** Herman, 1879 Hungary  
*C. c.* Herman, 1879: 159, 357, pl. 7, f. 160 (D ♀).  
*C. c.* Chyzer & Kulczyński, 1897: 236 (D ♀).

♂♀ **danieli** Tikader, 1975 India  
*C. d.* Tikader, 1975: 43, f. 1-4 (D ♂♀).  
*C. denieri* Majumder & Tikader, 1991: 69, f. 134-139 (♂♀).

♂♀ **daquilibrium** Barrion & Litsinger, 1995 Philippines, Indonesia  
*C. d.* Barrion & Litsinger, 1995: 152, f. 84a-j (D ♂).  
*C. longipes* Hayashi, 1996: 64, f. 2-6 (♂♀, misidentified).  
*C. d.* Deeleman-Reinhold, 2001: 238, f. 296-300 (♂♀).

♂♀ **debile** Simon, 1890 Yemen  
*C. d.* Simon, 1890: 111 (D ♂♀).

♂ **denisi** Caporiacco, 1939 Ethiopia  
*C. d.* Caporiacco, 1939: 354, f. 16 (D ♂).

♀ **digitivorum** Dönitz & Strand, 1906 Japan  
*C. d.* Dönitz & Strand, in Bösenberg & Strand, 1906: 387, pl. 7, f. 87 (D ♀).

♀ **dippenaarae** Lotz, 1995 South Africa  
*C. d.* Lotz, 1995: 16, f. 6a-d, 7 (D ♀)

♂♀ **effossum** Herman, 1879 Eastern Europe, Russia  
*C. e.* Herman, 1879: 158, 356, pl. 7, f. 159 (D ♀).  
*C. e.* Chyzer & Kulczyński, 1897: 234, pl. 9, f. 81 (♀, D ♂).  
*C. e.* Wiegle, 1967a: 14, f. 60-62 (♂).  
*C. effosum* Tyschchenko, 1971: 126, f. 301 (♂).  
*C. effosum* Miller, 1971: 103, pl. XI, f. 27-28 (♂♀).  
*C. e.* Sterghiu, 1985: 102, f. 29f-g (♂♀).  
*C. e.* Heimer & Nentwig, 1991: 398, f. 1033 (♂♀).

♂♀ **elegans** Thorell, 1875 Europe to Central Asia  
*C. e.* Thorell, 1875: 78 (D ♂).  
*C. e.* Thorell, 1875: 88 (D ♂).  
*C. letochae* L. Koch, 1876: 309 (D ♂)  
*C. letochae* Simon, 1878: 249 (D ♂♀)  
*C. e.* Chyzer & Kulczyński, 1897: 233, pl. 9, f. 74 (D ♂♀).  
*C. e.* Bösenberg, 1902: 281, pl. 26, f. 411 (D ♂♀).  
*C. e.* Simon, 1932: 897, 962, f. 1350, 1356 (D ♂♀).  
*C. e.* Reimoser, 1937: 74, f. 52-53 (D ♂♀).  
*C. e.* Czajka, 1954: 169, f. 1 (♀).  
*C. e.* Beer, 1964: 529, f. 15 (♀).  
*C. e.* Sterghiu, 1985: 103, f. 30a-f (♂♀).

- C. e.* Urones, 1988: 143, f. 2a-c ( $\delta\varphi$ ).  
*C. e.* Heimer & Nentwig, 1991: 398, f. 1034 ( $\delta\varphi$ ).  
*C. e.* Jonsson, 1995: 55, f. 1-2 ( $\varphi$ ).  
*C. e.* Pesarini, 1997: 256, f. 3 ( $\delta$ ).

$\delta\varphi$  **equestre** O.P.-Cambridge, 1874 Egypt, Fezzan (Libya)  
*C. e.* O.P.-Cambridge, 1874: 404, pl. 52, f. 29 (D  $\delta\varphi$ ).

$\delta\varphi$  **erraticum** (Walckenaer, 1802) Palearctic

*Aranea erratica* Walckenaer, 1802: 219 (D) (preoccupied by *Aranea erratica* Olivier, 1789, but that species long ago assigned to *Pardosa* and this name now well protected by usage).

*Clubiona erratica* Walckenaer, 1805: 43 (C).

*Clubiona nutrix* Latreille, 1806: 92 (D) (preoccupied by Walckenaer, 1805).

*Clubiona nutrix* Hahn, 1831: 7, f. 98 ( $\delta\varphi$ , misidentified).

*Clubiona dumetorum* Hahn, 1833: 1, pl. 24, f. B (D  $\varphi$ ).

*Clubiona nutrix* Hahn, 1834, Die Arachniden 2 p. 7 TF. 98 (D  $\delta\varphi$ ).

*Bolyphantes equestris* C. L. Koch, 1837: 9 (D).

*Clubiona erratica* Walckenaer, 1837: 602 (D  $\delta$ ).

*C. carnifex* C.L.Koch, 1839: 14, f. 438-439 (D  $\delta\varphi$ ).

*Clubiona nutrix* Blackwall, 1861: 134, pl. 8, f. 85 ( $\varphi$ ).

*Clubiona erratica* Blackwall, 1861: 135, pl. 8, f. 86 (D  $\delta\varphi$ ).

*C. e.* Westring, 1861: 380 ( $\delta\varphi$ ).

*Anyphaena erratica* Simon, 1864: 145 (C).

*C. carnifex* L.Koch, 1866: 258, pl. 10, f. 164-166 (D  $\delta\varphi$ ).

*C. carnifex* Ohlert, 1867: 102 (D  $\delta\varphi$ ).

*C. carnifex* Thorell, 1870: 209 (N).

*C. carnifex* O.P.-Cambridge, 1873a: 529, pl. 46, f. 3 (D  $\delta\varphi$ ).

*C. erroneum* O.P.-Cambridge, 1873a: 532, pl. 46, f. 5 (D  $\delta$ ).

*C. e.* Menge 1873: 348, pl. 61, f. 198 (D  $\delta\varphi$ ).

*C. erroneum* Simon, 1878: 253 (D  $\delta\varphi$ ).

*C. e.* Simon, 1878: 254 (D  $\delta\varphi$ ).

*C. carnifex* Hansen, 1882: 54, pl. 4, f. 2 (D  $\delta\varphi$ ).

*C. carnifex* Dahl, 1883: 55 (D  $\delta\varphi$ ).

*C. orientale* Kulczyński, 1885: 45, pl. 11, f. 25 (D  $\delta\varphi$ ).

*C. erroneum* Becker, 1896: 286, pl. 17, f. 26 (D  $\delta\varphi$ ).

*C. e.* Becker, 1896: 287, pl. 17, f. 5 (D  $\delta\varphi$ ).

*C. e.* Chyzer & Kulczyński, 1897: 233, pl. 9, f. 65 (D  $\delta\varphi$ ).

*C. carnifex* Bösenberg, 1902: 282, pl. 26, f. 414 (D  $\delta\varphi$ ).

*C. e.* Lessert, 1910: 413 (D  $\delta\varphi$ ).

*C. e.* Dahl, 1912: 585 (D  $\delta\varphi$ ).

*C. e.* Reimoser, 1932: 62, f. 8 (N  $\delta\varphi$ ).

*C. e.* Simon, 1932: 902, 961, f. 1364-1365 (D  $\delta\varphi$ ).

*C. e.* Reimoser, 1937: 73, f. 48-49 (D  $\delta\varphi$ ).

*C. e.* Palmgren, 1943: 60, f. (N).

*C. e.* Tullgren, 1946: 37, f. 11A, pl. 6, f. 69-71 (D  $\delta\varphi$ ).

*C. e.* Locket & Millidge, 1951: 144, f. 74A, D (D  $\delta\varphi$ ).

*C. dumetorum* Roewer, 1954 2a: 478 (N. Hahn, 1833).

- C. e.* Clark & Locket, 1964: 1, f. F (♀).  
*C. e.* Locket, 1964: 259, f. 1D (♀).  
*C. e.* Braendgaard, 1966: 189, f. 160-161 (♂♀).  
*C. e.* Yaginuma, 1966a: 38, f. E, E' (♂♀).  
*C. e.* Yaginuma, 1967: 95, f. 2l-m (♀).  
*C. e.* Wieghele, 1967b: 189, f. 25 (♀).  
*C. e.* Wieghele, 1967c: 200, f. 20 (♀).  
*C. e.* Azheganova, 1968: 126, f. 304-305 (♂♀).  
*C. e.* Miller, 1971: 104, pl. XI, f. 29, pl. XXVII, f. 26 (♂♀).  
*C. e.* Tyschchenko, 1971: 127, f. 303 (♂).  
*C. e.* Clark & Jerrard, 1972: 110, f. 2 (♂).  
*C. e.* Locket, Millidge & Merrett, 1974: 15, f. 7G (♀).  
*C. e.* Legotai & Sekerskaya, 1982: 50, f. III.12, 17 (♂♀).  
*C. e.* Roberts, 1985: 88, f. 34a (♂♀).  
*C. e.* Sterghiu, 1985: 114, f. 34a-e (♂♀)  
*C. e.* Yaginuma, 1986: 178, f. 98.5 (♂♀).  
*C. e.* Legotai & Sekerskaya, 1989: 223, f. LXIX.12, 17 (♂♀).  
*C. e.* Chikuni, 1989: 123, f. 5 (♂♀).  
*C. e.* Izmailova, 1989: 111, f. 98 (♀).  
*C. c.* Wolf, 1991: 233, f. 1A, 6A-B, 8A-C, 9A-B, E-F (♂♀).  
*C. e.* Heimer & Nentwig, 1991: 396, f. 1030 (♂♀).  
*C. e.* Zhang, 1994: 133, f. 4-5 (♀).  
*C. e.* Almquist, 1994: 116, f. 20-22 (♂♀).  
*C. e.* Roberts, 1995: 133, f. (♂♀).  
*C. e.* Jäger, 1996: 565, f. 8c-d (♀; N.B.: includes sketches of possible new species).  
*C. e.* Mccheidze, 1997: 171, f. 319-320 (♂♀).  
*C. e.* Bellmann, 1997: 178, f. (♀).  
*C. e.* Roberts, 1998: 142, f. (♂♀).  
*C. e.* Song, Zhu & Chen, 1999: 413, f. 241I-J (♀).

♀ **escalerae** Simon, 1903 (Spanish) Equatorial Guinea  
*C. e.* Simon, 1903: 103 (D ♀).

♂♀ **eutittha** Bösenberg & Strand, 1906 Japan  
*C. e.* Bösenberg & Strand, 1906: 289, pl. 16, f. 496 (D ♀).  
*C. e.* Uyemura, 1937: 60, unnumbered f. (♀).  
*C. e.* Yaginuma, 1960: 112, f. 91.3 (♀).  
*C. e.* Yaginuma, 1966a: 38, f. A, A' (♂♀).  
*C. e.* Yaginuma, 1971: 112, f. 91.3 (♀).  
*C. e.* Yaginuma, 1986: 177, f. 98.4 (♂♀).  
*C. e.* Chikuni, 1989: 123, f. 3 (♂♀).

♀ **excavatum** Rainbow, 1920 Norfolk Is. (Australia)  
*C. e.* Rainbow, 1920: 256, pl. 30, f. 75-78 (D ♀).

♀ **exilipes** (Lucas, 1846) Algeria  
*Clubiona e.* Lucas, 1846: 209, pl. 12, f. 5 (D ♀).  
*Anyphaena e.* Simon, 1864: 139 (C).  
*C. e.* Simon, 1878: 265.

$\delta\varphi$  **exquistitum** Zhang & Zhu, 1993 China

*C. e.* Zhang & Zhu, 1993b: 5, f. 1-2 (D  $\varphi$ ; N.B.: this spelling in heading only).

*C. e.* Zhang & Yin, 1999: 287, f. 8-11 ( $\varphi$ , D  $\delta$ ).

*C. exquistitum* Song, Zhu & Chen, 1999: 413, f. 241K-L, 243G-H ( $\delta\varphi$ ).

$\delta$  **festae** Pavesi, 1895 Palestine

*C. f.* Pavesi, 1895: 5 (D  $\delta$ ).

$\delta\varphi$  **fibrosum** Zhang, Hu & Zhu, 1994 China

*C. f.* Zhang, Hu & Zhu, 1994: 8, f. 1-2 (D  $\varphi$ ).

*C. f.* Zhang & Yin, 1999: 288, f. 12-15 (&, D  $\delta$ ).

*C. f.* Song, Zhu & Chen, 1999: 413, f. 241M-N, 243I-J ( $\delta\varphi$ ).

$\varphi$  **fujianense** Gong, 1983 China

*C. fujianensis* Gong, 1983: 61, f. 1-8 (D  $\varphi$ ).

*C. fujianensis* Song, 1987: 314, f. 268 ( $\varphi$ ).

*C. f.* Song, Zhu & Chen, 1999: 413, f. 241O-P ( $\varphi$ ).

$\delta\varphi$  **fulvotestaceum** Simon, 1878 South France

*C. f.* Simon, 1878: 259 (D  $\delta\varphi$ ).

*C. f.* Simon, 1932: 899, 962, f. 1354-1355 (D  $\delta\varphi$ ).

$\delta\varphi$  **furax** L. Koch, 1873 Samoa

*C. f.* L. Koch, 1873: 400, pl. 31, f. 3 (D  $\delta\varphi$ ).

*C. f.* Berland, 1929: 67, f. 63-64 (D  $\delta\varphi$ ).

$\delta\varphi$  **furculatum** Karsch, 1879 West Africa, Cape Verde Is., Kiwu Lake (Congo), East Africa, Ethiopia, Tanzania, Angola, Equatorial Guinea, Rwanda, Mozambique, Kalahari (Botswana), Natal (South Africa), Namibia

*C. f.* Karsch, 1879: 342 (D  $\delta$ ).

*C. melanostoma* Simon, 1910: 346, f. 5 (D  $\delta\varphi$ ) (preoccupied by Thorell, 1895; renamed as *C. melanostomellum* by Roewer, 1951).

*C. kiwunum* Strand, 1915: 83 (D  $\delta$ ).

*C. mohasicum* Strand, 1915: 85 (D  $\varphi$ ).

*C. hoggi* Lessert, 1921: 409, f. 39-40 (D  $\delta$ ).

*C. natalense* Lessert, 1923: 186, f. 34-35 (D  $\delta$ ).

*C. inornatum* Lawrence, 1927: 43, pl. 2, f. 31-32, pl. 3, f. 69 (D  $\delta\varphi$ ) (preoccupied by O.P.-Cambridge, 1874; renamed as *C. lawrencei* by Roewer, 1951).

*C. castum* Lawrence, 1927: 44, pl. 3, f. 70 (D  $\delta$ ).

*C. inornatum* Lawrence, 1936: 155 (N  $\varphi$ ).

*C. melanostomellum* Roewer, 1951: 444 (replacement name).

*C. lawrencei* Roewer, 1951: 447 (replacement name).

*C. melanostomellum caboverdense* Schmidt & Piepho, in Schmidt, Geisthardt & Piepho, 1994: 107, f. 20 (D  $\delta$ ).

*C. f.* Schmidt & Krause, 1995: 366, f. 11 (D  $\varphi$ ).

*C. f.* Lotz, 1995: 18, f. 8a-h, 9 (D  $\delta\varphi$ ).

$\delta$  **geniculosum** Simon, 1885 Senegal-Gambia

*C. g.* Simon, 1885: 380 (D ♂).

♂ **gobi** Schmidt & Barensteiner, 2000 China

*C. g.* Schmidt & Barensteiner, 2000: 44, f. 4 (D ♂).

♂♀ **gracile** L. Koch, 1873 Queensland, New South Wales (Australia)

*C. g.* L. Koch, 1873: 402, pl. 31, f. 4 (D ♂).

*C. g.* Simon, 1897: 79, f. 80 (N ♂).

*C. g.* Dondale, 1966: 1176, f. 6A-E (♂, D ♀).

♂♀ **gracilipes** (Thorell, 1895) Burma (Myanmar)

*Eutittha g.* Thorell, 1895: 47 (D ♂♀).

♂♀ **gratum** Kulczyński, 1897 Germany, Hungary

*C. g.* Kulczyński, in Chyzer & Kulczyński, 1897: 236, pl. 9, f. 53, 73 (D ♂).

*C. g.* Merkens & Wunderlich, 2000: 42, f. 1-9 (removed ♂ from synonymy of *C. angulitarse*, contra Simon, 1932, D ♀).

♀ **gyirongense** Hu & Li, 1987 China

*C. gyirongensis* Hu & Li, 1987: 306, f. 34.1-2 (D ♀).

*C. g.* Song, Zhu & Chen, 1999: 413, f. 241Q-R (♀).

♂♀ **halophilum** Schmidt & Piepho, 1994 Cape Verde Is.

*C. h.* Schmidt & Piepho, in Schmidt, Geisthardt & Piepho, 1994: 105, f. 17-19 (D ♂♀).

♂♀ **himalayense** Gravely, 1931 North India

*C. himalayensis* Gravely, 1931: 264, f. 17E-F (D ♂♀).

*C. himalayensis* Majumder & Tikader, 1991: 65, f. 123-128 (♂♀).

♀ **hypocrytum** Zhang & Zhu, 1993 China

*C. h.* Zhang & Zhu, 1993b: 5, f. 3-4 (D ♀).

*C. h.* Song, Zhu & Chen, 1999: 413, f. 241S-T (♀).

♀ **ienisteai** Sterghiu, 1985 Romania

*C. i.* Sterghiu, 1985: 125, f. 37d-e (D ♀).

♀ **imbelle** Caporiacco, 1947 Kenya, Tanzania, Botswana, Zimbabwe

*C. i.* Caporiacco, 1947b: 195, pl. 2, f. 42 (D ♀).

*C. nairobii* Caporiacco, 1949: 435, f. 69 (D ♀).

*C. i.* Lotz, 1995: 24, f. 7, 10a-d (D ♀).

♂ **impressum** Thorell, 1881 Queensland (Australia)

*C. i.* Thorell, 1881: 219 (D ♂).

♀ **incertum** O.P.-Cambridge, 1869 Ceylon (Sri Lanka)

*C. i.* O.P.-Cambridge, 1869: 375, pl. 11, f. 9 (D ♀).

♂♀ **inclusum** (Hentz, 1847) New World

- Clubiona inclusa* Hentz, 1847: 451, pl. 23, f. 18 (D ♀).
- Clubiona subflava* Blackwall, 1862: 426 (D ♀).
- C. lanipes* L. Koch, 1866: 241 (D o).
- C. edentulum* L. Koch, 1866: 247, pl. 10, f. 157 (D ♀).
- Clubiona melanostoma* Holmberg, 1876: 134 (11) f. 12 (D ♀).
- C. keyserlingi* Becker, 1878: 79, pl. 2, f. 11-14 (D ♂).
- C. subflavum* Bertkau, 1880: 46, pl. 1, f. 13 (D ♀).
- C. ragazzii* Boeris, 1889: 127 (D ♂).
- C. viride* Emerton, 1889: 184, pl. 5, f. 12 (D ♂♀).
- C. subflavum* Keyserling, 1891: 37, pl. 1, f. 15 (D ♂).
- C. ferum* O.P.-Cambridge, 1897: 228, pl. 29, f. 8 (D ♂).
- C. debile* O.P.-Cambridge, 1897: 229, pl. 29, f. 7 (D ♀).
- C. i.* Simon, 1897: 79, f. 82 (N ♂).
- C. i.* Simon, 1897: 878 (D ♂♀).
- C. candidum* Mello-Leitão, 1901: 174, pl. 10, f. 95; f. 64 (D ♂).
- Eutichurus frontalis* Banks, 1909a: 201, pl. 6, f. 49 (D ♀).
- C. i.* Comstock, 1912: 569, f. 648-650 (N).
- C. popayanense* Strand, 1915: 127 (D ♀).
- C. gracilipes* Mello-Leitão, 1917: 97, f. 13 (D ♀) (preoccupied by Thorell, 1895).
- C. i.* Petrunkevitch, 1930: 53, f. 46-48 (N ♂♀).
- C. ferum* Chickering, 1937: 8, pl. 1, f. 6 (N).
- C. ferum* Bryant, 1940: 418 (D ♂).
- C. i.* Comstock, 1940: 583, f. 648-649 (♂♀).
- C. candidum* Mello-Leitão, 1941: 174, f. 64, pl. X, f. 45 (D ♀, preoccupied by Simon, 1878).
- Chiracanthops mandibularis* Mello-Leitão, 1942: 416, f. 40 (D ♀).
- Matidia haplogyna* Mello-Leitão, 1945: 261, f. 46 (D ♀).
- Radulphius seminermis* Caporiacco, 1947a: 26 (D ♀).
- Radulphius seminermis* Caporiacco, 1948: 672, f. 87 (♀).
- Chiracanthops mandibularis* Soares & Camargo, 1948: 388, f. 47-49 (♀).
- C. i.* Kaston, 1948: 369, pl. 69, f. 1297-1300 (D ♂♀).
- C. leitaoi* Roewer, 1951: 444 (replacement name for *C. gracilipes*).
- C. melloi* Roewer, 1951: 444 (replacement name for *C. candidum*).
- C. i.* Gering, 1953: 35, f. 57-60 (♂♀).
- Radulphius seminermis* Caporiacco, 1955: 364, f. 40a-c (D ♂).
- Radulphius brachyapophysis* Caporiacco, 1955: 365, f. 41a-b (D ♂).
- C. i.* Edwards, 1958: 368, f. 10-13, 17, 202 (♂♀).
- C. i.* Kaston, 1963: 36, f. 23 (♂).
- C. i.* Peck & Whitcomb, 1970: 7, f. 1-3, 13 (♂♀).
- C. i.* Peck, 1975: 204 (S).
- C. i.* Kaston, 1977: 46, f. 44 (♀).
- C. i.* Dondale & Redner, 1982: 19, f. 14-17 (♂♀, S).
- C. i.* Bonaldo & Brescovit, 1992: 732, f. 1-4 (♂♀, S).
- C. i.* Breene et al., 1993: 85, f. 98A-C (♂♀).
- C. i.* Wegner, 1994: 039171, f. 4-5 (♂♀).
- o *incomptum* (Thorell, 1891) Nicobar Is. (India)
- Eutittha i.* Thorell, 1891: 29 (D o).

$\delta$  **indicum** O.P.-Cambridge, 1874 Deccan (India), Ceylon (Sri Lanka)  
*C. i.* O.P.-Cambridge, 1874: 411, pl. 52, f. 34 (D  $\delta$ ).  
*C. i.* Gravely, 1931: 265, f. 17G (N  $\delta$ ).  
*C. i.* Majumder & Tikader, 1991: 58, f. 109-112 ( $\delta$ ).

$\delta\varphi$  **inornatum** O.P.-Cambridge, 1874 India  
*C. i.* O.P.-Cambridge, 1874: 406, pl. 52, f. 30 (D  $\delta\varphi$ ).  
*C. i.* Majumder & Tikader, 1991: 83, f. 175-180 ( $\delta\varphi$ ).

$\delta\varphi$  **insigne** O. P.-Cambridge, 1874 India, Sri Lanka, China  
*C. i.* O.P.-Cambridge, 1874: 408, pl. 52, f. 32 (D  $\delta\varphi$ ).  
*C. i.* Gravely, 1931: 266, f. 17L-M (N  $\delta\varphi$ ).  
*C. i.* Tikader & Biswas, 1981: 70, f. 122 ( $\delta$ ).  
*C. i.* Chen & Zhang, 1991: 252, f. 264.1-4 ( $\delta$ ).  
*C. i.* Majumder & Tikader, 1991: 60, f. 113-116 ( $\delta$ ).  
*C. i.* Song, Zhu & Chen, 1999: 413, f. 243K-L ( $\delta$ ).

$\delta\varphi$  **insulanum** (Thorell, 1878) Amboina Is. (Amboin, Indonesia), Myanmar to Moluccas, Philippines  
*Eutittha insulana* Thorell, 1878: 179 (D  $\varphi$ ).  
*C. payateus* Barrion & Litsinger, 1995: 156, f. 87a-h (D  $\delta$ ).  
*C. tigbauanensis* Barrion & Litsinger, 1995: 161, f. 91a-f, 92a-d (D  $\delta\varphi$ ).  
*C. tingilium* Barrion & Litsinger, 1995: 164, f. 93a-e (D  $\varphi$ ).  
*C. bikakapenalcolium* Barrion & Litsinger, 1995: 165, f. 94a-e (D  $\varphi$ ).  
*C. hugiscium* Barrion & Litsinger, 1995: 167, f. 95a-e (D  $\varphi$ ).  
*C. i.* Deeleman-Reinhold, 2001: 228, f. 272-279 ( $\varphi$ , S  $\delta$ ).

$\varphi$  **insulare** L. Koch, 1866 Samoa  
*C. i.* L. Koch, 1866: 268, pl. 11, f. 172 (D  $\varphi$ ).  
*C. i.* L. Koch, 1873: 412 (D  $\varphi$ ).

$\delta\varphi$  **isiacum** O.P.-Cambridge, 1874 Egypt, Libya  
*C. i.* O.P.-Cambridge, 1874: 407, pl. 52, f. 31 (D  $\delta\varphi$ ).

$\delta$  **itakeum** Barrion & Litsinger, 1995 Philippines  
*C. itakeus* Barrion & Litsinger, 1995: 156, f. 88a-g (D  $\delta$ ).

$\varphi$  **jabalpureNSE** Majumder & Tikader, 1991 India  
*C. jabalpurensis* Majumder & Tikader, 1991: 86, f. 186-190 (D  $\varphi$ ).

$\delta\varphi$  **japonicum** Bösenberg & Strand, 1906 China, Korea, Japan  
*C. j.* Bösenberg & Strand, 1906: 288, pl. 16, f. 503 (D  $\delta\varphi$ ).  
*C. j.* Uyemura, 1937: 60, unnumbered f. ( $\varphi$ ).  
*C. j.* Saito, 1959: 141, f. 183a-d ( $\delta\varphi$ ).  
*C. j.* Yaginuma, 1960: 111, f. 91.1, 4 ( $\delta\varphi$ ).  
*C. j.* Yaginuma, 1966a: 38, f. D, D' ( $\delta\varphi$ ).  
*C. j.* Yaginuma, 1971: 111, f. 91.1, 4 ( $\delta\varphi$ ).  
*C. j.* Hu, 1979: 67, f. 8A-D ( $\delta$ ).  
*C. j.* Hu, 1984: 298, f. 316 ( $\delta$ ).

- C. j.* Guo, 1985: 146, f. 2-78.1-3 (♂♀).  
*C. j.* Yaginuma, 1986: 177, f. 98.1 (♂♀).  
*C. j.* Song, 1987: 315, f. 269 (♀).  
*C. j.* Yoshikura, 1987: 151, f. 20.6A-B, 20.14 (♂♀).  
*C. j.* Zhang, 1987: 192, f. 164.1-2 (♂♀).  
*C. j.* Chikuni, 1989: 122, f. 1 (♂♀).  
*C. j.* Hu & Wu, 1989: 303, f. 241.1-2 (♀).  
*C. j.* Paik, 1990: 5, f. 1-13 (♂♀).  
*C. j.* Chen & Gao, 1990: 147, f. 185a-c (♂♀).  
*C. j.* Shinkai, Yoshida & Ito, 1991: 40, f. 1-2 (♂♀).  
*C. j.* Zhao, 1993: 317, f. 149a-c (♂♀).  
*C. j.* Song, Zhu & Chen, 1999: 413, f. 241U-V (♀).

♀ **jocularis** Simon, 1910 Principe Is. (West Africa), Namibia  
*C. i.* Simon, 1910b: 349, f. 7 (D ♀).

♀ **jovium** Denis, 1947 Siwa Oasis (Egypt)  
*C. j.* Denis, 1947: 65, pl. IV, f. 6 (D ♀).

♀ **kashmirensis** Majumder & Tikader, 1991 India  
*C. kashmirensis* Majumder & Tikader, 1991: 67, f. 129-133 (D ♀).

♂ **kibonotense** Lessert, 1921 East Africa  
*C. k.* Lessert, 1921: 415, f. 48-50 (D ♂).  
*C. k.* Caporiacco, 1947b: 194 (N ♂).

♂♀ **klabati** Merian, 1911 Celebes Is. (Sulawesi, Indonesia)  
*C. k.* Merian, 1911: 282, f. F1, G1 (D ♂♀).

♀ **kompiricola** Dönitz & Strand, 1906 Japan  
*C. k.* Dönitz & Strand, in Bösenberg & Strand, 1906: 387, pl. 7, f. 87 (D ♀).

♀ **lanceolatum** Chrysanthus, 1967 New Guinea  
*C. l.* Chrysanthus, 1967: 407, f. 6-8 (D ♀).

♂♀ **lascivum** Karsch, 1879 China, Korea, Japan, Russia  
*C. l.* Karsch, 1879: 91 (D ♂♀).  
*C. l.* Bösenberg & Strand, 1906: 287, pl. 16, f. 502 (D ♂).  
*C. l.* Saito, 1934a: 329, f. 4 (N ♂).  
*C. l.* Saito, 1934b: 291, pl. 14, f. 48 (N ♀).  
*C. gratiosum* Saito, 1939: 28, f. 4(1), pl. 1, f. 21 (D ♀).  
*C. gratiosum* Saito, 1959: 141, f. 182a-c (♀).  
*C. l.* Saito, 1959: 141, f. 184a-f (♂♀).  
*C. gratiosum* Yaginuma, 1960: 112, f. 91.2 (♀).  
*C. l.* Yaginuma, 1966a: 38, f. B, B' (♂♀).  
*C. l.* Yaginuma, 1966b: 36 (S).  
*C. l.* Yaginuma, 1967: 88, f. 1g-h (♂♀).  
*C. l.* Yaginuma, 1971: 112, f. 91.2 (♀).

- C. l.* Paik & Namkung, 1979: 83, f. 72.1-2 (♂♀).  
*C. l.* Hu, 1984: 298, f. 305.2 (♀).  
*C. l.* Yaginuma, 1986: 177, f. 98.2 (♂♀).  
*C. l.* Chikuni, 1989: 122, f. 2 (♂♀).

♂ **leucophaeum** Simon, 1896 Madagascar  
*C. l.* Simon, 1896: 502 (D ♂).

♂♀ **ligawsolanum** Barrion & Litsinger, 1995 Philippines  
*C. l.* Barrion & Litsinger, 1995: 159, f. 89a-e, 90a-f (D ♂♀).

♂♀ **liplikeum** Barrion & Litsinger, 1995 Philippines  
*C. l.* Barrion & Litsinger, 1995: 154, f. 85a-d, 86a-e (D ♂♀).

♀ **liuyangense** Xie et al., 1996 China  
*C. liuyangensis* Xie et al., 1996: 97, f. 1-4 (D ♀).  
*C. liuyangensis* Song, Zhu & Chen, 1999: 413, f. 241W-X (♀).

♂ **lompobattangi** Merian, 1911 Celebes Is. (Sulawesi, Indonesia)  
*C. l.* Merian, 1911: 281, f. D1, E1 (D ♂).

♂♀ **longimanum** L. Koch, 1873 Queensland (Australia), Tonga Is., Fiji Is., New Hebrides (Vanuatu), New Caledonia  
*C. l.* L. Korh, 1873: 398, pl. 31, f. 1-2 (D ♂♀).

♀ **longipes** (Thorell, 1890) Sumatra Is., Krakatao Is. (Indonesia)  
*Eutittha l.* Thorell, 1890: 372 (D ♀).

♀ **longtailen** Xu, 1993 China  
*C. l.* Xu, 1993: 27, f. A-B (D ♀).  
*C. l.* Song, Zhu & Chen, 1999: 413, f. 242A-B (♀).

♂ **ludovici** Lessert, 1921 East Africa  
*C. l.* Lessert, 1921: 413, f. 45-47 (D ♂).

♀ **macedonicum** Drensky, 1921 Macedonia (Balkans)  
*C. macedonica* Drensky, 1921: 49, 77, pl. 1, f. 12-14 (D ♀).

♂♀ **mangiferae** Workman, 1896 Singapore, Sumatra Is. (Indonesia)  
*C. m.* Workman, 1896: 80, pl. 80 (D ♂♀).

♀ **margaritae** Sterghiu, 1985 Romania  
*C. m.* Sterghiu, 1985: 123, f. 37a-c (D ♀).

♂♀ **marplesi** Chrysanthus, 1967 New Guinea  
*C. m.* Chrysanthus, 1967: 403, f. 1-3, 9-10 (D ♂♀).

♂♀ **mauense** Caporiacco, 1949 Kenya  
*C. m.* Caporiacco, 1949: 433, f. 68a-b (D ♂♀).

$\delta\varphi$  **melanostomum** (Thorell, 1895) Burma (Myanmar), India, Bangladesh  
*Eutittha melanostoma* Thorell, 1895: 44 (D  $\delta\varphi$ ).

C. m. Simon, 1901: 67 (C).

C. m. Gravely, 1931: 261, f. 17C-D (N  $\delta\varphi$ ).

C. *sadanai* Tikader, 1976: 175, f. 1-4 (D  $\delta\varphi$ ).

C. *melanostoma* Tikader & Biswas, 1981: 71, f. 123-124 ( $\varphi$ ).

C. *melanostoma* Majumder & Tikader, 1991: 62, f. 117-112 ( $\delta\varphi$ ).

C. *sadanai* Majumder & Tikader, 1991: 90, f. 197-202 ( $\delta\varphi$ ).

C. m. Okuma et al., 1993: 57, f. 51A ( $\delta$ ).

C. m. Deeleman-Reinhold, 2001: 231, 254, f. 280-281 ( $\varphi$ , S).

$\delta\varphi$  **mellitum** Simon, 1910 Guinea-Bissau

C. m. Simon, 1910: 348, f. 6 (D  $\delta\varphi$ ).

$\delta$  **mertoni** Strand, 1911 Aru Is. (Indonesia)

C. m. Strand, 1911: 163, pl. 5, f. 62 (D  $\delta$ ).

$\delta$  **micheli** Simon, 1901 Ethiopia

C. m. Simon, 1901: 23 (D  $\delta$ ).

$\delta\varphi$  **mildei** L. Koch, 1864 Holarctic, Argentina

C. m. L. Koch, 1864: 144 (D  $\delta\varphi$ ).

C. m. L. Koch, 1866: 253, pl. 10, f. 161-163 (D  $\delta\varphi$ ).

C. *anceps* O.P.-Cambridge, 1872: 255, pl. 16, f. 37 (D  $\varphi$ ).

C. m. Simon, 1878: 244 (D  $\delta\varphi$ ).

C. m. Chyzer & Kulczyński, 1897: 237, pl. 9, f. 69, 80 (D  $\delta\varphi$ ).

C. m. Simon, 1897: 74, f. 81 (N  $\delta$ ).

C. m. Kulczyński, 1901: 46, pl. 2, f. 38 (N  $\delta$ ).

C. m. Lessert, 1910: 417 (D  $\delta\varphi$ ).

C. m. Simon, 1932: 897, 960, f. 1347-1348 (D  $\delta\varphi$ ).

C. m. Bryant, 1952: 120, f. 1-3 ( $\delta\varphi$ ).

C. m. Edwards, 1958: 371, f. 7-9, 14, 16, 203 ( $\delta\varphi$ ).

C. m. Tyschchenko, 1971: 127, f. 305 ( $\varphi$ ).

C. m. Kaston, 1977: 47, f. 42-43 ( $\delta\varphi$ ).

C. m. Dondale & Redner, 1982: 21, f. 8, 18-21 ( $\delta\varphi$ ).

C. m. Sterghiu, 1985: 100, f. 29a-e ( $\delta\varphi$ ).

C. m. Barrientos & Urones, 1985: 351, f. 1b-c ( $\varphi$ ).

C. m. Heimer & Nentwig, 1991: 396, f. 1032 ( $\delta\varphi$ ).

C. m. Wegner, 1994: 039171, f. 4-5 ( $\delta\varphi$ ).

C. m. Mchedze, 1997: 170, f. 317-318 ( $\varphi$ ).

$\delta$  **minahassae** Merian, 1911 Celebes Is. (Sulawesi, Indonesia)

C. m. Merian, 1911: 281 (D  $\delta$ ).

$\delta\varphi$  **minshullae** Lotz, 1995 Zimbabwe

C. m. Lotz, 1995: 26, f. 7, 11a-h (D  $\delta\varphi$ )

$\delta\varphi$  **molle** L. Koch, 1875 Ethiopia

*C. m.* L. Koch, 1875: 53, pl. 5, f. 7 (D ♂♀).

*C. m.* Kulczyński, 1901: 45, pl. 2, f. 39-40, 45 (N ♂).

♀ **mondrainense** Main, 1954 Western Australia

*C. mondrainensis* Main, 1954: 46, unnumbered fig. (D ♀).

♂ **mongolicum** Schenkel, 1963 Mongolia

*C. m.* Schenkel, 1963: 254, f. 143a-b (D ♂).

♂♀ **montanum** L. Koch, 1877 Palearctic

*C. m.* L. Koch, 1877: 189, f. 17-18 (D ♂♀).

*C. m.* Chyzer & Kulczyński, 1897: 233, pl. 9, f. 68 (D ♂♀).

*C. m.* Lessert, 1910: 414 (D ♂♀).

*C. m.* Reimoser, 1937: 74, f. 50-51 (D ♂♀).

*C. m.* Tyschchenko, 1971: 127, f. 306 (♂).

*C. m.* Izmailova, 1978: 11, f. e (♀).

*C. m.* Sterghiu, 1985: 116, f. 35a-d (♂♀).

*C. m.* Izmailova, 1989: 112, f. 99 (♀).

*C. m.* Heimer & Nentwig, 1991: 396, f. 1031 (♂♀).

*C. m.* Pesarini, 1997: 257, f. 4 (♂).

*C. m.* Roberts, 1998: 142, f. (♂♀).

♂♀ **mordax** L. Koch, 1866 Australia to Samoa, New Hebrides

(Vanuatu), Fiji Is., Tonga Is., Solomon Is.

*C. m.* L. Koch, 1866: 262, pl. 11, f. 167 (D ♂).

*C. m.* L. Koch, 1873: 403, pl. 31, f. 5 (D ♂).

*C. diversum* L. Koch, 1873: 396, pl. 32, f. 2 (D ♂).

*C. gilvum* L. Koch, 1873: 419, pl. 32, f. 5-6 (D ♂♀).

*C. diversum* Marples, 1959: 364, f. 1 (D ♀).

*C. m.* Main, 1964: 76, f. A-F (♂).

*C. m.* Dondale, 1966: 1178, f. 6F-J (♂, S ♀).

♂♀ **murinum** (Thorell, 1895) Burma (Myanmar)

*Eutittha murina* Thorell, 1895: 50 (D ♀).

*C. murina* Gravely, 1931: 263, f. 17A-B (♀, D ♂).

*C. murina* Majumder & Tikader, 1991: 72, f. 146-150 (♀).

♀ **mysorense** Majumder & Tikader, 1991 India

*C. mysorensis* Majumder & Tikader, 1991: 79, f. 165-169 (D ♀).

♂♀ **nalsaroverense** Patel & Patel, 1973 India

*C. nalsaroverensis* Patel & Patel, 1973: 4, f. 2a-d (D ♂♀).

*C. nalsaroverensis* Majumder & Tikader, 1991: 91, f. 203-205 (♂♀).

♀ **nervosum** Simon, 1909 Western Australia

*C. n.* Simon, 1909: 161 (D ♀).

♂ **ningmingense** Zhang & Yin, 1999 China

*C. ningmingensis* Zhang & Yin, 1999: 285, f. 1-3 (D ♂).

*C. ningmingensis* Song, Zhu & Chen, 1999: 413, f. 243M-N (♂).

♀ **occidentale** L. Koch, 1882 Balearic Is. (Spain)

*C. o.* L. Koch, 1882: 637, pl. 20, f. 16 (D ♀).

♀ **olliforme** Zhang & Zhu, 1993 China

*C. o.* Zhang & Zhu, 1993a: 76, f. 1-2 (D ♀).

*C. o.* Song, Zhu & Chen, 1999: 413, f. 242C-D (♀).

♂♀ **oncognatum** Thorell, 1870 Europe, Russia

*C. nutrix* L. Koch, 1864: 139 (D ♂♀).

*C. nutrix* L. Koch, 1866: 248, pl. 10, f. 158-160 (D ♂♀) (misidentified).

*C. o.* Thorell, 1870: 208 (D ♂♀).

*C. o.* Menge, 1873: 343, pl. 60, f. 196 (D ♂♀).

*C. o.* Simon, 1878: 245 (D ♂♀).

*C. o.* Simon, 1897: 79, f. 83 (N ♂).

*C. o.* Bösenberg, 1902: 281, pl. 26, f. 412 (D ♂♀).

*C. o.* Dahl, 1912: 585 (D ♂♀).

*C. o.* Reimoser, 1937: 71, f. 43-45 (D ♂♀).

*C. o.* Palmgren, 1943: 59, f. (N).

*C. o.* Tullgren, 1946: 36, pl. 5, f. 66-68 (D ♂♀).

*C. o.* Buchar & Zdárek, 1960: 93, f. 2A, 7A (♀).

*C. o.* Azheganova, 1968: 126, f. 298, 306 (♂♀).

*C. o.* Miller, 1971: 103, pl. XIII, f. 15-16 (♀).

*C. o.* Tyschchenko, 1971: 126, f. 300, 302 (♂).

*C. o.* Thaler, 1981: 118, f. 32 (♂).

*C. o.* Sterghiu, 1985: 113, f. 33d-f (♂♀).

*C. o.* Heimer & Nentwig, 1991: 396, f. 1028 (♂♀).

*C. o.* Roberts, 1995: 135, f. (♂♀).

*C. o.* Roberts, 1998: 144, f. (♂♀).

♂♀ **pallicolor** Strand, 1906 Ethiopia, East Africa

*C. p.* Strand, 1906: 633 (D ♂♀).

*C. p.* Strand, 1908: 40 (D ♂♀).

*C. p.* Caporiacco, 1947b: 195 (N ♀).

♂♀ **pallidum** Rainbow, 1920 Lord Howe Is. (Australia)

*C. p.* Rainbow, 1920: 257, pl. 30, f. 79-82 (D ♂♀).

♀ **pauciaculeis** Strand, 1906 Ethiopia

*C. p.* Strand, 1906: 634 (D ♀).

♀ **pauriense** Majumder & Tikader, 1991 India

*C. pauriensis* Majumder & Tikader, 1991: 75, f. 155-159 (D ♀).

♂♀ **pelasgicum** (C. L. Koch, 1837) Palearctic

*Bolyphantes pelasgicus* C. L. Koch, 1837: 9 (D).

- C. p.* C. L. Koch, 1839: 12, f. 436-437 (D ♂♀).  
*Clubiona ornata* Lucas, 1846: 211, pl. 12, f. 6 (D ♀).  
*C. p.* L. Koch, 1864: 158 (D ♂♀).  
*Anypshaena p.* Simon, 1864: 145 (C.).  
*Anypshaena ornata* Simon, 1864 145 (C).  
*C. p.* L. Koch, 1866: 243, pl. 10, f. 156 (D ♂♀).  
*C. p.* Simon, 1878: 256 (D ♂♀).  
*C. p.* Chyzer & Kulczyński, 1897: 233, pl. 9, f. 52 (D ♂♀).  
*C. p.* Simon, 1932: 904, 962, f. 1368 (D ♂♀).  
*C. p.* Sterghiu, 1985: 120, f. 36a-e (♂♀).

- ♂♀ pennatum** Simon, 1878 Europe  
*C. p.* Simon, 1878: 257, pl. 16, f. 10 (D ♂♀).  
*C. p.* Simon, 1932: 904, 962, f. 1369-1370 (D ♂♀).  
*C. p.* Sterghiu, 1985: 122, f. 36f-i (♂♀).  
*C. p.* Urones, 1988: 145, f. 3a-c (♂♀).

- ♂ pennuliferum** Simon, 1909 Western Australia  
*C. p.* Simon, 1909: 162 (D ♂).

- ♂♀ pennyi** O. P.-Cambridge, 1873 Palearctic  
*C. p.* Cambridge, 1873: 533, pl. 46, f. 6 (D ♂).  
*C. p.* Chyzer & Kulczyński, 1897: 233, pl. 9, f. 71, 77 (♂, D ♀).  
*C. p.* Bösenberg, 1902: 283, pl. 26, f. 415 (D ♂♀).  
*C. p.* Ermolajew, 1928: 99, f. 2 (D ♂).  
*C. p.* Simon, 1932: 904, 961, f. 1366-1367 (D ♂♀).  
*C. p.* Reimoser, 1937: 72, f. 46-47 (D ♂♀).  
*C. p.* Locket & Millidge, 1951: 145, f. 74C (D ♂♀).  
*C. circumcinctum* Schenkel, 1963 : 257, f. 145 (D ♀).  
*C. p.* Clark & Locket, 1964: 1, f. A-E (♀).  
*C. p.* Locket, 1964: 259, f. 1A-C (♀).  
*C. p.* Braendgaard, 1966: 193, f. 164 (♀).  
*C. p.* Azheganova, 1968: 127, f. 307-308 (♂♀).  
*C. p.* Tyschchenko, 1971: 127, f. 304 (♂).  
*C. p.* Clark & Jerrard, 1972: 110, f. 1 (♂).  
*C. p.* Locket, Millidge & Merrett, 1974: 13, f. 7E-F (♀).  
*C. circumcinctum* Hu, 1979: 67, f. 9A-C (♀).  
*C. p.* Song, Yu & Shang, 1981: 88, f. 15-17 (♂♀, S).  
*C. p.* Hu, 1984: 298, f. 317.1-3 (♂♀).  
*C. p.* Roberts, 1985: 88,f. 34b (♂♀).  
*C. p.* Sterghiu, 1985: 118, f. 35e-g (♂♀).  
*C. p.* Guo, 1985: 147, f. 2-79.1-2 (♀).  
*C. p.* Zhu et al., 1985: 159, f. 142a-e (♂♀).  
*C. p.* Song, 1987: 315, f. 270 (♂♀).  
*C. p.* Zhang, 1987: 193, f. 165. 1-3 (♂♀).  
*C. p.* Urones, 1988: 145, f. 1a-b, 4a-c (♂♀).  
*C. p.* Hu & Wu, 1989: 304, f. 243.1-3 (♂♀).  
*C. p.* Chen & Gao, 1990: 149, f 187a-b (♂♀).  
*C. p.* Wolf, 1991: 233, f. 1B, 6C-D, 8D-F, 9C-D, G-H (♂♀).

- C. p.* Heimer & Nentwig, 1991: 396, f. 1029 (♂♀).  
*C. p.* Zhao, 1993: 319, f. 150a-c (♂♀).  
*C. p.* Almquist, 1994: 115, f. 16-19 (♂♀).  
*C. p.* Roberts, 1995: 134, f. (♂♀).  
*C. p.* Mcheidze, 1997: 171, f. 321-324 (♂♀).  
*C. p.* Roberts, 1998: 143, f. (♂♀).  
*C. p.* Song, Zhu & Chen, 1999: 413, f. 242E-F, 243O-P (♂♀).

♀ **peregrinum** Thorell, 1899 Cameroon  
*C. p.* Thorell, 1899: 17 (D ♀).  
*C. p.* Simon, 1910: 345, f. 4 (D ♀).

♀ **perincertum** Caporiacco, 1940 Ethiopia  
*C. p.* Caporiacco, 1940: 839, f. 39 (D ♀).

♂♀ **pichoni** Schenkel, 1963 China  
*C. p.* Schenkel, 1963: 258, f. 146 (D ♀).  
*C. p.* Song, 1980: 186, f. 103a-d (♂♀).  
*C. p.* Song & Zheng, 1981: 351, f. 9-12 (♀, D ♂).  
*C. p.* Song, 1987: 317, f. 271 (♂♀).  
*C. p.* Chen & Gao, 1990: 149, f. 188a-b (♂♀).  
*C. p.* Chen & Zhang, 1991: 250, f. 262.1-5 (♂♀).  
*C. p.* Song, Zhu & Chen, 1999: 414, f. 242G-H, 243Q-R (♂♀).

♀ **poonaense** Majumder & Tikader, 1991 India  
*C. poonaensis* Majumder & Tikader, 1991: 84, f. 181-185 (D ♀).

♀ **potanini** Schenkel, 1963 China  
*C. p.* Schenkel, 1963: 256, f. 144 (D ♀).

♀ **presleyensis** Lotz, 1995 South Africa  
*C. p.* Lotz, 1995: 28, f. 7, 12a-d (D ♀)

♀ **proximum** Kulczyński, 1901 Eritrea  
*C. p.* Kulczyński, 1901: 46, pl. 2, f. 42, 44, 47 (D ♀).

♀ **punctipedellum** Caporiacco, 1949 Kenya  
*C. p.* Caporiacco, 1949: 437, f. 71 (D ♀).

♂♀ **punctorium** (Villers, 1789) \* Europe to Central Asia  
*Aranea punctoria* Villers, 1789: 128, pl. 11, f. 9 (D ♂).  
*Aranea nutrix* Walckenaer, 1802: 220 (D).  
*Clubiona nutrix* Walckenaer, 1805: 43 (N).  
*Clubiona nutrix* Walckenaer, 1830: 135 (D).  
*Drassus maxillosus* Wider, 1834: 209, pl. 14, f. 8 (D ♀).  
*Clubiona nutrix* Walckenaer, 1837: 601 (D ♂♀).  
*C. nutrix* C. L. Koch, 1839: 9, f. 434-435 (D ♂♀, in part.).  
*Anyphaena nutrix* Simon, 1864: 145 (C).  
*C. nutrix* Ohlert, 1867: 102 (D ♂♀).

- C. italicum* Canestrini & Pavesi, 1868: 851 (D ♂).  
*C. italicum* Canestrini & Pavesi, 1870: 114(8), pl. 4, f. 3 (C ♂).  
*C. nutrix* Menge, 1873: 346, pl. 60, f. 197 (D ♂♀).  
*C. p.* Simon, 1878: 247 (D ♂♀).  
*C. nutrix* Dahl, 1883: 55 (D ♂♀).  
*C. nutrix* Hansen, 1885: 135 (D ♂♀).  
*C. p.* Becker, 1896: 284, pl. 17, f. 4 (D ♂♀).  
*C. p.* Chyzer & Kulczyński, 1897: 234, pl. 9, f. 51 (D ♂♀).  
*C. p.* Simon, 1897: 88, f. 78 (N).  
*C. nutrix* Bösenberg, 1902: 283, pl. 26, f. 416 (D ♂♀).  
*C. p.* Lessert, 1910: 415 (D ♂♀).  
*C. p.* Simon, 1932: 897, 900, 961, f. 1349, 1357 (D ♂♀).  
*C. p.* Reimoser, 1937: 75, f. 54-55 (D ♂♀).  
*C. p.* Tullgren, 1946: 38, pl. 6, f. 72-74 (D ♂♀).  
*C. p.* Czajka, 1954: 170, f. 2 (♀).  
*C. p.* Azheganova, 1968: 127, f. 309-310 (♂♀).  
*C. p.* Tyschchenko, 1971: 127, f. 307 (♂).  
*C. p.* Miller, 1971: 104, pl. XXVII, f. 24 (♂).  
*C. p.* Sterghiu, 1985: 107, f. 31c-g (♂♀).  
*C. p.* Heimer & Nentwig, 1991: 398, f. 1035 (♂♀).  
*C. p.* Roberts, 1995: 135, f. (♂♀).  
*C. p.* Mccheidze, 1997: 171, f. 325-327 (♂♀).  
*C. p.* Bellmann, 1997: 178, f. (♀).  
*C. p.* Roberts, 1998: 143, f. (♂♀).  
*C. p.* Esyunin & Efimik, 1998: 150, f. 25-26 (♀).

♂♀ **punjabense** Sadana & Bajaj, 1980 India  
*C. punjabensis* Sadana & Bajaj, 1980: 131, f. 1-4 (D ♂♀).

♀ **rehobothense** Strand, 1915 Palestine  
*C. r.* Strand, 1915: 158 (D ♀).

♂ **reimoseri** Caporiacco, 1940 Ethiopia  
*C. r.* Caporiacco, 1940: 838, f. 38 (D ♂).

♂♀ **rupestre** Herman, 1879 Eastern Europe  
*C. r.* Herman, 1879: 157, 356, pl. 7, f. 158 (D ♀).  
*C. r.* Chyzer & Kulczyński, 1897: 235, pl. 9, f. 42, 62, 78 (♀, D ♂).  
*C. r.* Oltean, 1973b: 46, f. 1-2 (♂).  
*C. r.* Sterghiu, 1985: 110, f. 33a-c (♂).

♀ **rupicola** (Thorell, 1897) Burma (Myanmar), Pulu Berhala (Indonesia)  
*Eutittha r.* Thorell, 1897: 253 (D ♀).

♂ **sakoemicum** Roewer, 1938 Papua New Guinea  
*C. s.* Roewer, 1938: 74, f. 50 (D ♂).

♂ **salsicola** Simon, 1932 France  
*C. s.* Simon, 1932: 899, 963, f. 1351 (D ♂).

♀ **sambii** Patel & Reddy, 1991 India  
*C. s.* Patel & Reddy, 1991b: 269, f. 1a-e (D ♀).

♀ **sansibaricum** Strand, 1907 Zanzibar (Tanzania)  
*C. s.* Strand, 1907: 738 (D ♀).  
*C. s.* Strand, 1908: 115 (D ♀).

♂♀ **saraswatii** Tikader, 1962 India  
*C. s.* Tikader, 1962: 568, f. 1a-d (D ♂♀).  
*C. s.* Tikader, 1969: 157, f. 13-16 (D ♂♀).  
*C. saraswati* Majumder & Tikader, 1991: 70, f. 140-145 (♂♀).

♀ **schenkeli** Caporiacco, 1949 Kenya  
*C. s.* Caporiacco, 1949: 436, f. 70 (D ♀).

♂♀ **seidlitzi** L. Koch, 1864 Mediterranean to Central Asia  
*C. s.* L. Koch, 1864: 154 (D ♂♀).  
*C. s.* L. Koch, 1866: 264, pl. 11, f. 169-171 (D ♂♀).  
*C. fasciatum* Thorell, 1873: 432 (D).  
*C. s.* Simon, 1878: 250, pl. 16, f. 10 (D ♂♀).  
*C. s.* Chyzer & Kulczyński, 1897: 233, pl. 9, f. 63 (D ♂).  
*C. s.* Simon, 1897: 79, f. 84 (N ♂).  
*C. siedlitzi* Simon, 1932: 902, 961, f. 1362-1363 (D ♂♀).

♀ **seshii** Patel & Reddy, 1991 India  
*C. s.* Patel & Reddy, 1991: 271, f. 2a-e (D ♀; N.B.: figs. 2, 3 transposed).

♀ **shiluvanensis** Lotz, 1995 South Africa  
*C. s.* Lotz, 1995: 30, f. 7, 13a-d (D ♀)

♀ **sikkimense** Majumder & Tikader, 1991 India  
*C. sikkimensis* Majumder & Tikader, 1991: 77, f. 160-164 (D ♀).

♀ **silaceum** Rainbow, 1897 New South Wales (Australia)  
*C. s.* Rainbow, 1897: 524, pl. 18, f. 1 (D ♀).

♂♀ **simaoense** Zhang & Yin, 1999 China  
*C. simaoensis* Zhang & Yin, 1999: 286, f. 4-7 (D ♂♀).  
*C. simaoensis* Song, Zhu & Chen, 1999: 414, f. 242I-J, 244A-B (♂♀).

♀ **simplex** Thorell, 1899 Cameroon  
*C. s.* Thorell, 1899: 18 (D ♀).

♂♀ **siwi** New name Siwa Oasis (Egypt)  
*C. tenuie* Denis, 1947: 66, pl. 4, f. 7-8 (D ♂♀) (primary junior homonym of *C. tenuie* L. Koch, 1873). [N. Siwi is the Arabic adjective of Siwa.]

♂ **socotrense** Pocock, 1903 Socotra (Yemen)

*C. s.* Pocock, 1903: 195 (D ♂).

♀ **solidum** Zhang, Zhu & Hu, 1993 China

*C. s.* Zhang, Zhu & Hu, 1993: 107, f. 5-6 (D ♀).

*C. s.* Song, Zhu & Chen, 1999: 414, f. 242K-L (♀).

♂♀ **somalinum** Pavesi, 1895 Somalia

*C. s.* Pavesi, 1895 41 (D ♂♀).

♂ **soputani** Merian, 1911 Celebes Is. (Sulawesi, Indonesia)

*C. s.* Merian, 1911: 282 (D ♂).

♂ **spectabile** (Thorell, 1887) Burma (Myanmar)

*Eutittha spectabilis* Thorell, 1887: 61 (D ♂).

♀ **sphaericum** Zhang, Zhu & Hu, 1993 China

*C. s.* Zhang, Zhu & Hu, 1993: 107, f. 7-8 (D ♀).

*C. s.* Song, Zhu & Chen, 1999: 414, f. 242M-N (♀).

♀ **strasseni** Strand, 1915 Palestine

*C. s.* Strand, 1915: 156 (D ♀).

♀ **strasseni aharonii** Strand, 1915 Palestine

*C. s. a.* Strand, 1915: 157 (D ♀).

♂♀ **stratioticum** L. Koch, 1873 New Zealand, Tasmania

*C. s.* L. Koch, 1873: 408, pl. 32, f. 3-4 (D ♂♀).

*C. s.* Hickman, 1967: 94, f. 161-162 (♂♀).

*C. s.* Forster, 1979: 92, f. 23, 352-356 (♂♀).

♀ **strebliovi** L. Koch, 1879 Russia

*C. streblowii* L. Koch, 1879: 93, pl. 3, f. 10 (D ♀).

*C. s.* Holm, 1973: 104, f. 101 (♀).

*C. s.* Izmailova, 1989: 112, f. 100 (♀).

♂♀ **striolatum** Simon, 1878 Western Mediterranean

*C. t.* Simon, 1878: 263 (D ♂♀).

*C. t.* Simon, 1932: 901, 962, f. 1360-1361 (D ♂♀).

*C. s.* Barrientos & Urones, 1985: 351, f. 1a (♂).

♂♀ **submordax** Zhang, Zhu & Hu, 1993 China

*C. s.* Zhang, Zhu & Hu, 1993: 106, f. 1-4 (D ♂♀).

*C. s.* Song, Zhu & Chen, 1999: 414, f. 242O-P, 244C-D (♂♀).

♀ **subyemenense** Caporiacco, 1947 Ethiopia

*C. s.* Caporiacco, 1947b: 196, pl. 2, f. 43 (D ♀).

♂♀ **taegense** Paik, 1990 Korea, China

*C. t.* Paik, 1990: 11, f. 39-57 (D ♂♀).

- C. t.* Xu & Zhang, 1993: 94, f. 1-4 (♂♀).  
*C. t.* Zhang, Hu & Zhu, 1994: 9, f. 3-6 (♂♀).  
*C. t.* Song, Zhu & Chen, 1999: 414, f. 242Q-R, 244E-F (♂♀).

♂ **taprobanense** Strand, 1907 Ceylon (Sri Lanka)  
*C. t.* Strand, 1907: 563 (D ♂).  
*C. t.* Strand, 1909: 45, pl. 2, f. 26 (D ♂).

♂ **tenue** L. Koch, 1873 Queensland (Australia)  
*C. t.* L. Koch, 1873: 407, pl. 32, f. 1 (D ♂).

♂ **tenuipes** Roewer, 1961 Senegal  
*C. t.* Roewer, 1961: 64, f. 21 a-c (D ♂).

♂ **tetragnathoide** Caporiacco, 1949 Kenya  
*C. t.* Caporiacco, 1949: 438, f. 73 (D ♂).

♂ **torricellianum** Strand, 1910 Papua New Guinea  
*C. t.* Strand, 1911b: 15 (D ♂).

♂♀ **triviale** (Thorell, 1895) Burma (Myanmar), India  
*Euititha trivialis* Thorell, 1895: 49 (D ♀).  
*C. trivialis* Gravely, 1931: 265, f. 17H, K (♀, D ♂).  
*C. trivialis* Tikader & Biswas, 1981: 71, f. 125-126 (♀).  
*C. trivialis* Majumder & Tikader, 1991: 56, f. 103-108 (♂♀).

♂ **trivittatum** Simon, 1906 India  
*C. t.* Simon, 1906: 297 (D ♂).  
*C. t.* Majumder & Tikader, 1991: 74, f. 151-154 (♂).

?? **turanicum** Kroneberg, 1875 Tajikistan, Uzbekistan  
*C. seidlitzii* t. Kroneberg, 1875: 52 (D).  
*C. t.* Mikhailov, 1997: 159.

♂♀ **turiae** Strand, 1917 Thailand to Queensland (Australia)  
*Euititha montana* Thorell, 1890: 368 (D ♂; preoccupied).  
*C. t.* Strand, 1917: 72 (N) (replacement name).  
*Clubiona andamanensis* Tikader, 1977a: 194, f. 19A-C (D ♀).  
*Clubiona andamanensis* Majumder & Tikader, 1991: 27, f. 39-43 (♀).  
*C. t.* Deeleman-Reinhold, 2001: 234, f. 286-293 (♂, S ♀).

♂♀ **uncinatum** Paik, 1985 Korea, China  
*C. u.* Paik, 1985: 2, f. 1-9 (D ♂).  
*C. u.* Paik, 1990: 15, f. 71-81 (♂, D ♀).  
*C. u.* Zhang & Zhu, 1993a: 77, f. 3-6 (♂♀).  
*C. u.* Song, Zhu & Chen, 1999: 414, f. 242S-T, 244G-H (♂♀).

♂♀ **unicum** Bösenberg & Strand, 1906 China, Korea, Japan  
*C. u.* Bösenberg & Strand, 1906: 287, pl. 16, f. 501 (D ♂).

- C. jokohamae* Strand, 1907: 562 (D ♀).  
*C. jokohamae* Strand, 1909: 43, pl. 2, f. 23 (D ♀).  
*C. u.* Yaginuma, 1960: 112, f. 91.5 (♂).  
*C. u.* Yaginuma, 1966a: 38. f. C, C' (♂♀).  
*C. u.* Paik, 1970: 88, f. 15-16 (♀).  
*C. u.* Yaginuma, 1971: 112, f. 91.5 (♂).  
*C. u.* Yaginuma, 1977: 401 (S).  
*C. u.* Yamakawa & Kumada, 1979: 12, f. 11-12 (♂).  
*C. u.* Yaginuma, 1986: 178, f. 98.3 (♂♀).  
*C. u.* Song, 1987: 318, f. 272 (♂♀).  
*C. u.* Chikuni, 1989: 123, f. 4 (♂♀).  
*C. u.* Paik, 1990: 13, f. 58-70 (♂♀, S).  
*C. u.* Chen & Zhang, 1991: 250, f. 261.1-4 (♂♀).  
*C. u.* Song, Zhu & Chen, 1999: 414, f. 242U-V, 244I-J (♂♀).

**♂♀ vansonii** Lawrence, 1936 Kalahari (Botswana), South Africa, Zimbabwe, Namibia  
*C. v.* Lawrence, 1936: 155, f. 7 (D ♀).  
*C. v.* Lotz, 1995: 32, f. 14a-h, 15 (D ♂♀).

**♂ vernetii** Lessert, 1929 Congo  
*C. v.* Lessert, 1929: 138, f. 20 (D ♂).

- ♂♀ virescens** (Sundevall, 1832) Palearctic  
*Clubiona v.* Sundevall, 1832: 267 (D ♂♀).  
*C. nutrix* Westring, 1862: 378 (D ♂♀).  
*C. nutrix* O.P.-Cambridge, 1873: 531, pl. 46, f. 4 (D ♂♀) (misidentified).  
*C. candidum* Simon, 1878: 258 (D ♂♀).  
*C. lapidicola* Simon, 1878: 261 (D ♂♀).  
*C. lapidicola* Becker, 1896: 289, pl. 17, f. 6 (D ♂♀).  
*C. lapidicola* Chyzer & Kulczyński, 1897: 234, pl. 9, f. 67 (D ♂♀).  
*C. lapidicola* Bösenberg, 1902: 282, pl. 26, f. 413 (D ♂♀).  
*C. lapidicola* Lessert, 1910: 416 (D ♂♀).  
*C. v.* Simon, 1918: 201 (N).  
*C. lapidicola* Schenkel, 1925: 307 (N ♀).  
*C. lapidicola* Ermolajev, 1928: 105, f. 6 (D ♂♀).  
*C. v.* Simon, 1932: 899, 901, 962, f. 1353, 1358 (D ♂♀).  
*C. lapidicola* Saito: 17, 76, pl. 11 (N ♀).  
*C. v.* Reimoser, 1937: 76, f. 56-57 (D ♂♀).  
*C. v.* Palmgren, 1943: 60, f. (N).  
*C. nutrix* Tullgren, 1946: 39, f. 11B, pl. 6, f. 75-77 (D ♂♀).  
*C. v.* Locket & Millidge, 1951: 146, f. 74B, E (D ♂♀).  
*C. v.* Braendgaard, 1966: 191, f. 162-163 (♂♀).  
*C. v.* Azheganova, 1968: 128, f. 311-312 (♂♀).  
*C. v.* Tyschchenko, 1971: 127, f. 308 (♂).  
*C. v.* Miller, 1971: 104, pl. XXVII, f. 25 (♂).  
*C. v.* Hu, 1979: 66, f. 7A-D (♀).  
*C. v.* Hu, 1984: 300, f. 305.3 (♀).  
*C. v.* Roberts, 1985: 88, f. 34c (♂♀).

- C. v. Sterghiu, 1985: 108, f. 32a-e (♂♀).  
 C. v. Millidge, 1988: 259, f. 27 (♂).  
 C. v. Chen & Gao, 1990: 150, f. 189a-b (♂♀).  
 C. v. Heimer & Nentwig, 1991: 398, f. 1036 (♂♀).  
 C. v. Próchniewicz, 1991a: 178, f. 3, 6, 9, 12, 15 (♂).  
 C. v. Zhao, 1993: 320, f. 151a-b (♂♀).  
 C. v. Zhang, 1994: 133, f. 1-3 (♀).  
 C. v. Roberts, 1995: 134, f. (♂♀).  
 C. v. Mcheidze, 1997: 172, f. 328-330 (♂♀).  
 C. v. Bellmann, 1997: 178, f. (♀).  
 C. v. Roberts, 1998: 143, f. (♂♀).  
 C. v. Song, Zhu & Chen, 1999: 414, f. 242W-X (♀).

**♂♀ vorax** O. P.-Cambridge, 1874 India  
 C. v. O. P.-Cambridge, 1874: 410, pl. 52, f. 33 (D ♂♀).  
 C. v. Majumder & Tikader, 1991: 88, f. 191-196 (♂♀).

**♂♀ wiehlei** Chrysanthus, 1967 New Guinea  
 C. w. Chrysanthus, 1967: 405, f. 4-5, 11-12 (D ♂♀).

**♂ yemenense** Simon, 1882 Yemen, Somalia  
 C. y. Simon, 1882: 240, pl. 8, f. 16 (D ♂).  
 C. y. Strand, 1908c: 33 (D ♂).

**♂♀ zebrinum** Saveljeva, 1972 Russia, Kazakhstan  
 C. z. Saveljeva, 1972: 1404, f. 6-10 (D ♂♀).  
 C. z. Izmailova, 1989: 113, f. 101 (♂).

**♂♀ zhejiangense** Hu & Song, 1982 China, Korea  
 C. *zhejiangensis* Hu & Song, 1982: 56, f. 4A-D (D ♂♀).  
 C. *zhejiangensis* Hu, 1984: 299, f. 318.1-4 (♂♀).  
 C. *zhejiangensis* Song, 1987: 319, f. 273 (♂♀).  
 C. *zhejiangensis* Feng, 1990: 169, f. 144.1-3 (♀).  
 C. z. Paik, 1990: 9, f. 26-38 (♂♀).  
 C. *zhejiangensis* Chen & Zhang, 1991: 251, f. 263.1-4 (♂♀).  
 C. *zhejiangensis* Zhao, 1993: 321, f. 152a-c (♂♀).  
 C. z. Song, Zhu & Chen, 1999: 414, f. 243A-B, 244K-L (♂♀).

\*\*\*\*\*

## References (303)

- Almquist, S. 1994. Four species of spiders (Araneae) new to Sweden. *Ent. Tidskr.* **115:** 113-117.
- Azheganova, N.S. 1968. *Kratkii opredelitel' paukov (Aranei) lesnoi i lesostepnoi zony SSSR*. Akademia Nauk SSSR, pp. 1-149.
- Banks, N. 1898. Arachnida from Baja California and other parts of Mexico. *Proc. Califor. Acad. Sci.* (3) **1(7):** 205-308, pls. 13-17.

- Banks, N. 1909. Arachnida from Costa Rica. *Proc. Acad. nat. Sci. Philad.* **61**: 194-234.
- Barrientos, J.A. & Urones, M.C. 1985. La colección de araneidos del Departamento de Zoología de la Universidad de Salamanca, V : arañas clubionoideas y tomisoideas. *Boln Asoc. esp. Entomologia* **9**: 349-366.
- Barrión, A.T. & Litsinger, J.A. 1995. *Riceland Spiders of South and Southeast Asia*. CAB International, Wallingford, UK, xix + 700 pp.
- Becker, L. 1878. Diagnoses de quelques aranéides nouvelles du Mexique. *Ann. Soc. ent. Belg.* **21**: 77-80, pl. 2, f. 1-14.
- Becker, L. 1896. Les arachnides de Belgique. *Ann. Mus. Roy. Hist. nat. Belg.* **12(2)**: 128-378, pls. 1-18.
- Beer, S.A. 1964. On the fauna and ecology of spiders in the Murman region. *Zool. Zh.* **43**: 525-533.
- Bellmann, H. 1997. *Kosmos-Atlas Spinnentiere Europas*. Frankh-Kosmos Verlag, Stuttgart, 304 pp.
- Berland, L. 1929. Aragnées (Araneida). In *Insects of Samoa and other Samoan terrestrial Arthropoda*. London, **8(2)**: 35-78, f. 1-79.
- Bertkau, P. 1880. Verzeichniss der von Prof. Ed. van Beneden auf seiner im Auftrage der Belgischen Regierung unternommen wissenschaftlichen Reise nach Brasilien und La Plata im Jahren 1872-73 gensammelten Arachniden. *Mém. Cour. Acad. Belg.* **43**: 1-120, pls. 1-2, f. 1-41.
- Blackwall, J. 1859. Descriptions of newly discovered spiders captured by James Yate Johnson Esq., in the island of Madeira. *Ann. Mag. nat. Hist.* (3) **4**: 255-267.
- Blackwall, J. 1861. *A history of the spiders of Great Britain and Ireland*. London, **1**: 1-174, pls. 1-12, f. 1-110.
- Blackwall, J. 1862. Descriptions of newly discovered spiders captured in Rio de Janeiro, by John Gray and the Rev. Hamlet Clark [part]. *Ann. Mag. nat. Hist.* (3) **10**: 421-439.
- Boeris, G. 1889. Aracnidi raccolti nel Sud America dal Dott. Vincenzo Ragazzi. *Atti Soc. nat. Modena, Mem.* **3(3)**: 123-135.
- Bonaldo, A.B. & Brescovit, A.D. 1992. As aranhas do gênero *Cheiracanthium* C. L. Koch, 1839 na região neotropical (Araneae, Clubionidae). *Revta bras. Ent.* **36**: 731-740.
- Bösenberg, W. 1902. Die Spinnen Deutschlands. II-IV. *Zoologica* (Stuttgart) **14(2-4)**: 97-384, pls. 9-36, f. 116-564.
- Bösenberg, W. & Strand, E. 1906. Japanische Spinnen. *Abh. Senck. naturf. Ges.* **30(1-2)**: 93-373, pls. 3-16, f. 1-505 & 1-6.
- Braendegård, J. 1966. Edderkopper: Eller Spindlere I. *Danmarks Fauna* **72**: 1-224.
- Breene, R.G., Dean, D.A., Nyffeler, M. & Edwards, G.B. 1993. *Biology, Predation Ecology, and Significance of Spiders in Texas Cotton Ecosystems with a Key to Species*. Texas Agriculture Experiment Station, College Station, 115 pp.

- Brignoli, P.M. 1983. A Catalogue of the Araneae described between 1940 and 1981. Ed. P. Merrett. 755 pp. Manchester University Press. (In association with The British Arachnological Society) [Genus *Cheiracanthium*: pp. 549-550, 703]
- Bryant, E.B. 1940. Cuban spiders in the Museum of Comparative Zoology. *Bull. Mus. comp. Zool. Harv.* **86**(7): 247-554, pls. 1-22, f. 1-297.
- Bryant, E.B. 1952. Redescription of *Cheiracanthium mildei* L. Koch, recent spider immigrant from Europe. *Psyche, Camb.* **58**: 120-123.
- Buchar, J. & Zdárek, J. 1960. Die Arachnofauna der mittelböhmischen Waldsteppe. *Acta Univ. Carolinae Biol.* **1960**: 87-102.
- Cambridge, O.P. 1869. Catalogue of a collection of Ceylon Araneida lately received from Mr J. Nietner, with descriptions of new species and characters of a new genus. I. *Jour. Linn. Soc. London (Zool.)* **10**: 373-397, pls. 11-13, f. 1-88.
- Cambridge, O.P. 1872. General list of the spiders of Palestine and Syria, with descriptions of numerous new species, and characters of two new genera. *Proc. zool. Soc. Lond.* **1871**: 212-354, pls. 13-16, f. 1-13.
- Cambridge, O.P. 1873a. On new and rare British spiders (being a second supplement to "British spiders new to science", Linn. Trans. XXVII, p. 393). *Trans. Linn. Soc. London* **28**(4): 523-555, pl. 46, f. 1-21.
- Cambridge, O.P. 1873b. On the spiders of St. Helena. *Proc. zool. Soc. Lond.* **1873**: 210-227, pl. 24, f. 1-6.
- Cambridge, O.P. 1874. On some new species of Drassides. *Proc. zool. Soc. Lond.* **1874**: 370-419, pls. 51-52, f. 1-37.
- Cambridge, O.P. 1885. Araneida. In *Scientific results of the second Yarkand mission*. Calcutta, pp. 1-115, pls. 1-2, f. 1-21.
- Cambridge, O.P. 1897. Arachnida. Araneida. In *Biologia Centrali-Americanana, Zoology*. London, **1**: 225-232, pls. 27-30 (part).
- Canestrini, G. & Pavesi, P. 1868. Araneidi italiani. *Atti Soc. ital. sci. nat.* **11**: 738-872.
- Canestrini, G. & Pavesi, P. 1870. Catalogo sistematico degli Araneidi italiani. *Arch. zool. anat. fisiol. Bologna* **2**: 20-64, pls. 3-4.
- Caporiacco, L.di 1935. Aracnidi dell'Himalaia e del Karakoram, raccolti dalla Missione italiana al Karakoram (1929-VII). *Mem. Soc. ent. ital.* **13**: 161-263, pls. 4-7.
- Caporiacco, L.di 1936. Aracnidi raccolti durante la primavera 1933 nelle oasi del deserto libico. *Mem. Soc. ent. ital.* **15**: 93-122, f. 1-11.
- Caporiacco, L.di 1939. Arachnida. In Missione biologica nel paese dei Borana. Raccolti zoologiche. *Redia* **1939**: 303-385, f. 1-27.
- Caporiacco, L.di 1940. Aracnidi raccolte nella Reg. dei Laghi Etiopici della Fossa Galla. *Atti Real. Accad. Ital.* **11**(18): 767-873, f. 1-58.
- Caporiacco, L.di. 1947a. Diagnosi preliminari de specie nuove di aracnidi della Guiana Brittanica raccolte dai professori Beccari e Romiti. *Monitore zool. ital.* **56**: 20-34.

- Caporiacco, L.di 1947b. Arachnida Africæ Orientalis, a dominibus Kittenberger, Kovacs et Bornemisza lecta, in Museo Nationali Hungarico servata. *Annls hist.-nat. Mus. natn. Hung.* **40(3)**: 97-257, pls. 1-2, f. 1-77.
- Caporiacco, L.di 1948. Arachnida of British Guiana collected in 1931 and 1936 by Professors Beccari and Romiti. *Proc. zool. Soc. London* **118**: 607-747.
- Caporiacco, L.di 1949. Araenidi della colonia del Kenya raccolti da Toschi e Meneghetti negli anni 1944-1946. *Commentat. pontif. Acad. Scient.* **13(6)**: 309-492, f. 1-98.
- Caporiacco, L.di 1955. Estudios sobre los aracnidos de Venezuela. 2a parte: Araneae. *Acta biol. venez.* **1**: 265-448.
- Chen, X.E. & Gao, J.C. 1990. *The Sichuan farmland spiders in China*. Sichuan Sci. Tech. Publ. House, Chengdu, 226 pp.
- Chen, Z.F. & Zhang, Z.H. 1991. *Fauna of Zhejiang: Araneida*. Zhejiang Science and Technology Publishing House, 356 pp.
- Chickering, A. M. 1937. The Clubionidae of Barro Colorado Island, Panama. *Trans. Amer. microsc. Soc.* **56(1)**: 1-47, pls. 1-6, f. 1-83.
- Chikuni, Y. 1989. *Pictorial Encyclopedia of Spiders in Japan*. Kaisei-sha Publ. Co., Tokyo, 310 pp.
- Chrysanthus, P. 1967. Spiders from south New Guinea VIII. *Nova Guinea* (N.S., Zool.) **37**: 401-426.
- Chyzer, C. & Kulczyński, V. 1897. Araneae hungariae. Budapest, 2(b): 151-366, pls. 6-10.
- Clark, D.J. & Jerrard, P.C. 1972. A note on *Cheiracanthium pennyi* O. P.-Cambridge. *Bull. Br. arachnol. Soc.* **2**: 110.
- Clark, D.J. & Locket, G.H. 1964. *Cheiracanthium pennyi* O. P.-Cambridge. *Bull. Br. Spider Study Group* **22**: 1-2.
- Comstock, J.H. 1912. *The spider book; a manual for the study of the spiders and their near relatives, the scorpions, pseudoscorpions, whipscorpions, harvestmen and other members of the class Arachnida, found in America north of Mexico, with analytical keys for their classification and popular accounts of their habits*. Garden City, New York, pp. 1-721.
- Comstock, J.H. 1940. *The spider book, revised and edited by W. J. Gertsch*. Cornell Univ. Press, Ithaca, xi + 727 pp.
- Czajka, M. 1954. *Chiracanthium elegans* Thorell - novel arachnidian species in the Polish fauna. *Polskie Pismo Ent.* **24**: 169-172.
- Dahl, F. 1883. Analytische Bearbeitung der Spinnen Norddeutschlands mit einer anatomisch-biologischen Einleitung. *Schrift. naturw. Ver. Schleswig-Holstein* **5(2)**: 13-86, pls. 1-2, f. 1-34.
- Dahl, F. 1912. Über die Fauna des Plagefenn-Gebietes. In Conwentz, H. (ed.) *Das Plagefenn bei Choren*. Berlin, pp. 339-638 (Araneae, 575-622).
- Deeleman-Reinhold, C.L. 2001. *Forest spiders of South East Asia: with a revision of the sac and ground spiders (Araneae: Clubionidae, Corinnidae, Liocranidae, Gnaphosidae, Prodidomidae and Trochanterriidae [sic])*. Brill, Leiden, 591 pp.

- Denis, J. 1947. Spiders. In Results of the Armstrong College expedition to Siwa Oasis (Libyan desert), 1935. *Bull. Soc. Fouad I. Ent.* **31**: 17-103, pls.1-6.
- Denis, J. 1962. Les araignées de l'archipel de Madère (Mission du Professeur Vandel). *Publções Inst. Zool. Dr Augusto Nobre* **79**: 1-118.
- Dondale, C.D. 1966. The spider fauna (Araneida) of deciduous orchards in the Australian Capital Territory. *Aust. J. Zool.* **14**: 1157-1192.
- Dondale, C.D. & Redner, J.H. 1982. The insects and arachnids of Canada, Part 9. The sac spiders of Canada and Alaska, Araneae: Clubionidae and Anyphaenidae. *Research Branch, Agriculture Canada, Publ.* **1724**: 1-194.
- Dönitz & Strand, E. 1906. Japanische Spinnen (Anhang.). *Abh. Senck. naturf. Ges.* **30(1-2)**: 374-399, pls. 3-16, f. 1-505 (part.).
- Drensky, P. 1921. Contribution à l'étude des araignées de la Macédoine or et de Pirine Planina. *Spis. bulg. Akad. Nauk* **23**: 1-80, pls. 1-2.
- Edwards, R.J. 1958. The spider subfamily Clubioninae of the United States, Canada and Alaska (Araneae: Clubionidae). *Bull. Mus. comp. Zool. Harv.* **118**: 365-436.
- Emerton, J.H. 1889. New England spiders of the families Drassidae, Agelenidae and Dysderidae. *Trans. Connect. Acad. Arts Sci.* **8(9)**: 166-206, pls. 3-8.
- Ermolajev, W.N. 1928. Materialen zur Spinnenfauna Westsibiriens. *Arch. Naturg.* **92(A, 7)**: 97-109.
- Esyunin, S.I. & Efimik, V.E. 1998. Remarks on the Ural spider fauna, 8. New and unidentified species from steppe landscapes of the south Urals (Arachnida: Aranei). *Arthropoda Selecta* **7**: 145-152.
- Feng, Z.Q. 1990. *Spiders of China in colour*. Hunan Science and Technology Publishing House, 256 pp.
- Forster, R.R. 1979. The spiders of New Zealand. Part V. Cycloctenidae, Gnaphosidae, Clubionidae. *Otago Mus. Bull.* **5**: 1-95.
- Gering, R.L. 1953. Structure and function of the genitalia in some American agelenid spiders. *Smithsonian misc. Coll.* **121(4)**: 1-84.
- Gong, J.X. 1983. Neue und wenig bekannte Clubionidae aus China (Arachnida: Aranæ). *Verh. naturw. Ver. Hamb.* **26**: 61-68.
- Gravely, F.H. 1931. Some Indian spiders of the families Ctenidae, Sparassidae, Selenopidae and Clubionidae. *Rec. Ind. Mus. Calcutta* **33(3)**: 211-282, f. 1-20.
- Guo, J.F. (ed.) 1985. [Farm spiders from Shaanxi Province]. Shaanxi Science and Technology Press.
- Hahn, C.W. 1831. *Die Arachniden*. Nürnberg, Erster Band, pp. 1-24.
- Hahn, C.W. 1833. *Monographie der Spinnen*. Nürnberg, Heft 7, 1 p., pls. 24-26.
- Hahn, C.W. 1834. *Die Arachniden*. Nürnberg, 2: 1-75, f. 95-163.
- Hansen, H.J. 1882. Spindeldyr. In Schiödte, J.C. (ed.) *Zoologia Danica*. København, 3: 1-81, pls. 1-5.
- Hansen, H. 1991. Ricerche faunistiche del Museo Civico di Storia Naturale di Venezia nell'Isola di Pantelleria. XI - Arachnida: Scorpiones, Pseudoscorpiones, Araneae. *Boll. Mus. civ. St. nat. Venezia* **40**: 7-19.

- Hayashi, T. 1996. The spider family Clubionidae (Arachnida: Araneae) from the Krakatau Islands, Indonesia. *Acta arachn. Tokyo* **45**: 63-72.
- Heimer, S. & Nentwig, W. 1991. *Spinnen Mitteleuropas: Ein Bestimmungsbuch*. Verlag Paul Parey, Berlin, 543 pp.
- Hentz, N.M. 1847. Descriptions and figures of the araneides of the United States. *Boston J. nat. Hist.* **5**: 443-478, pls. 23, 24, 30, 31.
- Herman, O. 1879. *Magyarország pikk-faunája*. [Ungarns Spinnenfauna]. Budapest, 3: 1-394, pls. 7-10, f. 152-219.
- Hickman, V.V. 1967. *Some common spiders of Tasmania*. Tasmanian Mus. Art Gallery, 112 pp.
- Holm, Å. 1973. On the spiders collected during the Swedish expeditions to Novaya Zemlya and Yenisey in 1875 and 1876. *Zoologica Scr.* **2**: 71-110.
- Holmberg, E.L. 1876. Aracnidos argentinos. *Ann. agr. Rep. Argentina* **4**: 1-28, f. 1-15.
- Hu, J.L. 1984. *The Chinese spiders collected from the fields and the forests*. Tianjin Press of Science and Techniques, 482 pp..
- Hu, J.L. & Li, A.H. 1987. The spiders collected from the fields and the forests of Xizang Autonomous Region, China. (II). *Agricultural Insects, Spiders, Plant Diseases and Weeds of Xizang* **2**: 247-353.
- Hu, J.L. & Wu, W.G. 1989. *Spiders from agricultural regions of Xinjiang Uygur Autonomous Region, China*. Shandong Univ. Publ. House, Jinan, 435 pp.
- Hu, Y.J. 1979. [Common clubionids found in paddy fields]. *J. Hunan Teachers Coll.* **1979(1)**: 64-72.
- Hu, Y.J. & Song, D.X. 1982. Notes on some Chinese species of the family Clubionidae. *J. Hunan Teachers Coll. (nat. Sci. Ed.)* **1982(2)**: 55-62.
- Izmailova, M.V. 1978. New and little-known species of spiders (Aranei) in the fauna of the USSR. In *Taxonomia i ekologija chlenistonogikh Sibiri*. Novosibirsk, Nauka Publ., pp. 10-12.
- Izmailova, M.V. 1989. [Fauna of Spiders of South Part of Eastern Siberia]. Irkutsk, State Univ. Publ., 184 pp.
- Jäger, P. 1996. Spinnen (Araneae) der Wähner Heide bei Köln. *Decheniana* **35**: 531-572.
- Jonsson, L.J. 1995. Taggspindeln *Cheiracanthium elegans*, ny för Nordeuropa, med en kort översikt av släktets svenska arter. *Ent. Tidskr.* **116**: 55-58.
- Karsch, E. 1879a. West-afrikanische Arachniden, gesammelt von Herrn Stabsarzt Dr. Falkenstein. *Zeitschr. ges. Naturw.* **52**: 329-373.
- Karsch, E. 1879b. Baustoffe zu einer Spinnenfauna von Japan. *Verh. naturh. Ver. preuss. Rheinl. Westfal.* **36**: 57-105, pl. 1, f. 1-21.
- Kaston, B.J. 1948. Spiders of Connecticut. *Bull. Conn. St. geol. nat. Hist. Surv.* **70**: 1-874, pls. 1-144, f. 1-2144.
- Kaston, B.J. 1963. Deformities of external genitalia in spiders. *Jl N. Y. ent. Soc.* **71**: 30-39.

- Kaston, B.J. 1977. Supplement to the spiders of Connecticut. *J. Arachnol.* **4**: 1-72.
- Keyserling, E.V. 1891. *Die Spinnen Amerikas. III. Brasilianische Spinnen.* Nürnberg, 3: 1-278, pls. 1-10, f. 1-203.
- Koch, C.L. 1837. *Übersicht des Arachnidensystems.* Nürnberg, 1: 1-39, pls. 1-6, f. 1-7.
- Koch, C.L. 1839. *Die Arachniden.* Nürnberg, 6: 1-156, f. 432-540.
- Koch, L. 1864. Die europaischen Arten der Arachnidengatung *Cheiracanthium. Abh. naturh. Ges. Nürnberg* 14[(3)1]: 137-162.
- Koch, L. 1866. *Die Arachniden-Familie der Drassiden.* Nürnberg, Hefte 1-6, pp. 1-352, pls. 1-14, f. 1-239.
- Koch, L. 1873. *Die Arachniden Australiens.* Nürnberg, 1: 369-528, pls. 28-40.
- Koch, L. 1875. *Aegyptische und abyssinische Arachniden gesammelt von Herrn C. Jickeli.* Nürnberg, pp. 1-96, pls. 1-7.
- Koch, L. 1876. Verzeichniss der in Tirol bis jetzt beobachteten Arachniden nebst Beschreibungen einiger neuen oder weniger bekannten Arten. *Zeitschr. Ferdinan. Tirol Voral.* **3**(20): 219-354.
- Koch, L. 1877. Verzeichniss der bei Nürnberg bis jetzt beobachteten Arachniden (mit Ausschluss der Ixodiden und Acariden) und Beschreibungen von neuen, hier vorkommenden Arten. *Abh. naturh. Ges. Nürnberg* **6**: 113-198, f. 1-22.
- Koch, L. 1879. Arachniden aus Sibirien und Novaja Semlja, eingesammelt von der schwedischen Expedition im Jahre 1875. *Kongl. Svenska. Vet.-Acad. Handl.* **14**(5): 1-136, pls. 1-7.
- Koch, L. 1882. Zoologische Ergebnisse von Excursionen auf den Balearen. II: Arachniden und Myriapoden. *Verh. zool.-bot. Ges. Wien* **31**: 625-678, pls. 20-21, f. 1-41.
- Kroneberg, A. 1875. Araneae. In Fedtschenko, A. P. (ed.), *Puteshestvie v Tourkestan. Reisen in Turkestan. Zoologischer Theil. Nachr. Ges. Moskau* **19**(3): 1-58, pls. 1-5.
- Kulczyński, V. 1885. Araneae in Camtschadalia a Dre B. Dybowski collectae. *Pam. Akad. umiej. Krakow* **11**: 1-60, pls. 9-11, f. 1-35.
- Kulczyński, V. 1899. Arachnoidea opera Rev. E. Schmitz collecta in insulis Maderianis et in insulis Selvages dictis. *Rozpr. spraw. wydz. mat. przyrod. Akad. umiej. Cracov* **36**: 319-461, pls. 6-9, f. 1-147.
- Kulczyński, V. 1901. Arachnoidea in Colonia Erythraea a Dre K. M. Levander collc a. *Rozpr. spraw. wydz. mat. przyrod. Akad. umiej. Cracov* **41**: 1-64, pls. 1-2, f. 1-50.
- Latreille, P.A. 1806. *Genera crustaceorum et insectorum.* Paris, tome 1, 302 pp., 16 pls. (Araneae, pp 82-127, pls. 3-5).
- Lawrence, R.F. 1927. Contributions to a knowledge of the fauna of South-West Africa V. Arachnida. *Ann. S. Afric. Mus.* **25**(1): 1-75, pls. 1-4, f. 1-90.
- Lawrence, R.F. 1936. Scientific results of the Vernay-Lang Kalahari Expedition, March to September 1930. Spiders (Ctenizidae excepted). *Ann. Transv. Mus.* **17**(2): 145-158, f. 1-8.

- Lawrence, R.F. 1938. A collection of spiders from Natal and Zululand. *Ann. Natal Mus.* **8(3)**: 455-524, f. 1-40.
- Lawrence, R.F. 1942. A contribution to the araneid fauna of Natal and Zululand. *Ann. Natal Mus.* **10(2)**: 141-190, f. 1-32.
- Lawrence, R.F. 1947. A collection of Arachnida made by Dr. I. Tragardh in Natal and Zululand (1904-1905). *Göteborgs K. Vetensk.-o. vitterh. Samh. Handl.* (B) **5 (9)**: 1-41, f. 1-33.
- Legotai, M.V. & Sekerskaya, N.P. 1982. Pauki v sadakh. *Zashita Rastenii* **1982(7)**: 48-51.
- Legotai, M.V. & Sekerskaya, N.P. 1989. Pauki. In T. V. Ostrovskaya (ed.), *Poleznaya fauna plodovogo sada*. Agropromizat, Moscow, pp. 218-227.
- Lessert, R.de 1910. *Catalogue des invertébrés de la Suisse. Fasc. 3, Araignées*. Musée d'histoire naturelle de Genève, pp. 1-636, f. 1-248.
- Lessert, R.de 1921. Araignées du Kilimandjaro et du Merou (suite). 4. Clubionidae. *Rev. suisse zool.* **28(17)**: 381-442, f. 1-80.
- Lessert, R.de 1923. Araignées du sud de l'Afrique. *Rev. suisse zool.* **30(6)**: 161-212, f. 1-58.
- Lessert, R.de 1929. Araignées du Congo recueillies au cours de l'expedition par l'American Museum (1909-1915). Troisieme partie. *Rev. suisse zool.* **36(4)**: 103-159, f. 1-29.
- Locket, G.H. 1964. Type material of British spiders in the O. Pickard-Cambridge collection at Oxford. *Ann. Mag. nat. Hist.* (13)**7**: 257-278.
- Locket, G.H. & Millidge, A.F. 1951. *British spiders*. Ray Society, London, **1**: 1-310, f. 1-142.
- Locket, G.H., Millidge, A.F. & Merrett, P. 1974. *British Spiders, Volume III*. Ray Society, London, 315 pp.
- Lohmander, H. 1944. Vorläufige Spinnen-Notizen. *Ark. Zool.* **35 (A, 16)**: 1-21.
- Lotz, L.N. 1995. The genus *Cheiracanthium* (Araneae : Clubionidae) in Southern Africa. Unpublished M.Sc. Thesis. Faculty of Natural Sciences, University of the Orange Free State, Bloemfontein, South Africa.
- Lotz, L.N. & Dippenaar-Schoeman, A.S. 1999. *Cheiramiona*, a new Afrotropical spider genus (Araneae: Miturgidae: Eutichurinae). *Navor. nas. Mus., Bloemfontein* **15(2)**: 29-43.
- Lucas, H. 1846. Histoire naturelle des animaux articulés. In *Exploration scientifique de l'Algérie pendant les années 1840, 1841, 1842 publiée par ordre du Gouvernement et avec le concours d'une commission académique*. Paris, Sciences physiques, Zoologie, 1 Arachn. pp. 89-271, pls. 1-17.
- Main, B.Y. 1954. Spiders and Opiliones. In The Archipelago of the Recherche. *Aust. geogr. Soc. Rep.* **1**: 37-53.
- Main, B.Y. 1964. *Spiders of Australia: A Guide to their Identification with Brief Notes on the Natural History of Common Forms*. Brisbane, Jacaranda Press, 124 pp.

- Majumder, S.C. & Tikader, B.K. 1991. Studies on some spiders of the family Clubionidae from India. *Rec. zool. Surv. India Occ. Pap.* **102**: 1-174.
- Marples, B.J. 1955. Spiders from western Samoa. *J. Linn. Soc. Lond. (Zool.)* **42**: 453-504.
- Marples, B.J. 1959. Spiders from some Pacific islands, III. The Kingdom of Tonga. *Pacific. Sci.* **13**: 362-367.
- Mccheidze, T.S. 1997. [Spiders of Georgia: Systematics, Ecology, Zoogeographic Review]. Tbilisi Univ., 390 pp. (in Georgian).
- Mello-Leitão, C.F.de 1917. Notas arachnologicas. 5, Especies novas ou pouco conhecidas do Brasil. *Broteria* **15**: 74-102, f. 1-24.
- Mello-Leitão, C.F.de 1941. Las arañas de Córdoba, La Rioja, Catamarca, Tucumán, Salta y Jujuy colectadas por los Profesores Birabén. *Revta Mus. La Plata* (N.S., Zool.) **2**: 99-198, f. 1-91, pls. 1-12, f. 1-59.
- Mello-Leitão, C.F.de 1942. Arañas del Chaco y Santiago del Estero. *Revta Mus. La Plata* (N.S., Zool.) **2**: 381-426, f. 1-56.
- Mello-Leitão, C.F.de 1945. Arañas de Misiones, Corrientes y Entre Ríos. *Revta. Mus. La Plata* (N.S., Zool.) **4**: 213-302, f. 1-93.
- Menge, A. 1873. Preußische Spinnen. VI. Abteilung. *Schrift. naturf. Ges. Danzig* (N. F.) **3**: 327-374, pls. 58-63, f. 187-213.
- Merian, P. 1911. Die Spinnenfauna von Celebes. Beiträge zur Tiergeographie im Indo-australischen Archipel. *Zool. Jahrb. Syst.* **31** (2): 165-354, pl. 3 & 56 ff.
- Mikhailov, K.G. 1997. Catalogue of the spiders of the territories of the former Soviet Union (Arachnida, Aranei). Moscow, Zool. Mus., Moscow State. Univ., 416 pp.
- Miller, F. 1971. Pavouci-Araneida. *Klíc zvìreny CSSR* **4**: 51-306.
- Millidge, A.F. 1988. The relatives of the Linyphiidae: phylogenetic problems at the family level (Araneae). *Bull. Br. arachnol. Soc.* **7**: 253-268.
- Ohlert, E. 1867. *Die Araneiden oder echten Spinnen der Provinz Preußen*. Leipzig, pp. 1-172, pls. 1-2.
- Okuma, C., Kamal, N.Q., Hirashima, Y., Alam, M.Z. & Ogata, K. 1993. *Illustrated Monograph of the Rice Field Spiders of Bangladesh*. Institute of Postgraduate Studies in Agriculture (Salna, Gazipur, Bangladesh)-Japan International Cooperation Agency Project Publication 1, 93 pp.
- Oltean, C. 1973. Genus *Chiracanthium* C. L. Koch, 1839, in Romania. *Analele Univ. Bucuresti (Biol. anim.)* **22**: 45-49.
- Paik, K.Y. 1970. Spiders from Geojae-do Isl., Kyungnam, Korea. *Thes. Coll. grad. Sch. Educ. Kyungpook Univ.* **1**: 83-93.
- Paik, K.Y. 1985. Three new species of clubionid spiders from Korea. *Korean Arachnol.* **1**(1): 1-11.
- Paik, K.Y. 1990. Korean spiders of the genus *Cheiracanthium* (Araneae: Clubionidae). *Korean Arachnol.* **6**: 1-30.

- Paik, W.H. & Namkung, J. 1979. [Studies of spiders from paddy field of Korea.] 101 pp., 14 pls., 70 figs., 77 text-figs. Seoul Univ. Press. (In Korean)
- Palmgren, P. 1943. Die Spinnenfauna Finnlands II. *Act. zool. Fennica* **36**: 1-115, pls. 1-2.
- Patel, B.H. & Patel, H.K. 1973. On some new species of spiders of family Clubionidae (Araneae: Arachnida) with a record of genus *Castianeira* Keyserling from Gujarat, India. *Proc. Indian Acad. Sci. 78(B)*: 1-9.
- Patel, B.H. & Reddy, T.S. 1991. On some new species of *Cheiracanthium* C. L. Koch and *Simalio* Simon (Araneae: Clubionidae) from coastal Andhra Pradesh, India. *Rec. zool. Surv. India* **89**: 269-276.
- Pavesi, P. 1885. Aracnidi racc. dal Boutourlin ad Assab e Massaua. *Bull. Soc. Ent. Ital.* **17**: 197-200.
- Pavesi, P. 1895. Aracnidi raccolti nel paese dei Somali dall'ing. L.Bricchetti-Robecchi. *Boll. sci.* **17**: 35-46.
- Peck, W.B. 1975. *Cheiracanthium* in the Western Hemisphere. *Proc. 6th int. arachnol. Congr.*, pp. 204-209.
- Peck, W.B. & Whitcomb, W.H. 1970. Studies on the biology of a spider, *Cheiracanthium inclusum* (Hentz). *Univ. Ark. agric. Exp. Sta. Bull.* **753**: 1-76.
- Pesarini C. 1997. Spiders (Arachnida Araneae) from Monte Barro (Italy, Lombardy, Lecco). *Mem. Soc. Ital. Sci. Nat. Mus. Civ. Stor. Nat. Milano*, **27(2)**: 251-263.
- Petrunkewitch, A. 1930. The spiders of Porto Rico. Part three. *Trans. Connect. Acad. Arts Sci.* **31**: 1-191, f. 1-168.
- Platnick, N.I. 1989. Advances in Spider Taxonomy 1981-1987. Ed. P.Merrett 673 pp. Manchester University Press. (In association with The British Arachnological Society) [Genus *Cheiracanthium*: pp. 438-440]
- Platnick, N.I. 1993. Advances in Spider Taxonomy 1988-1991, with Synonymies and Transfers 1940-1980. Ed. P.Merrett 846 pp. New York Entomological Society. (In association with The American Museum of Natural History) [Genus *Cheiracanthium*: pp. 606-608]
- Platnick, N.I. 1997. Advances in Spider Taxonomy 1992-1995, with Redescriptions 1940-1980. Ed. P.Merrett 976 pp. New York Entomological Society. (In association with The American Museum of Natural History) [Gen. *Cheiracanthium*: pp. 702-707]
- Platnick, N.I. 2001. The World Spider Catalog, Version 2.0  
© Copyright 2000, 2001 American Museum of Natural History.  
[Family Miturgidae, last updated April 30, 2001]
- Pocock, R.I. 1903. Arachnida. In Forbes, H.O. (ed.), *The Natural History of Sokotra and Abd-el-Kuri*. Liverpool, Special Bull. Liverp. Mus., pp. 175-208, pls. 14 & 26, f. 1-2.
- Próchniewicz, M. 1991. *Cheiracanthium campestre* Lohmander (1944) eine Seltene Clubionidae (Araneae). *Bull. Polish Acad. Sci., Biol. Sci.* **39**: 175-179.
- Rainbow, W.J. 1897. Descriptions of some new Araneidae of New South Wales. No. 8. *Proc. Linn. Soc. New S. Wales* **22(3)**: 514-553, pls. 17-18.

- Rainbow, W. J. 1920. Arachnida from Lord Howe and Norfolk Islands. *Rec. S. Austral. Mus.* **1**: 229-272, pls. 28-31, f. 1-127. (n. sp. part. by Pulleine).
- Ramírez, M.J., Bonaldo, A.B. & Brescovit, A.D. 1997. Revisión del género *Macerio* y comentarios sobre la ubicación de *Cheiracanthium*, *Tecution* y *Helebiona* (Araneae, Miturgidae, Eutichurinae). *Iheringia (Zool.)* **82**: 43-66.
- Reimoser, E. 1932. Einheimische Spinnen 10. *Die Natur (Wien)* **8(1)**: 7-12, f. 1-10; **8(3)**: 60-64, f. 11-33.
- Reimoser, E. 1937. Spinntiere oder Arachnoidea. VII. Gnaphosidae oder Plattbauchspinnen. (Gnaphosidae, Anyphaenidae u. Clubionidae) In *Die Tierwelt Deutschlands*. Jena, 33(16): 1-99, f. 1-103.
- Roberts, M.J. 1985. *The spiders of Great Britain and Ireland*, Volume 1: Atypidae to Theridiosomatidae. Harley Books, Colchester, England.
- Roberts, M.J. 1995. *Collins Field Guide: Spiders of Britain & Northern Europe*. HarperCollins, London, 383 pp.
- Roberts, M.J. 1998. *Spinnengids*. Tirion, Baarn, Netherlands, 397 pp.
- Roewer, C.F. 1928. Araneae. In Zoologische Streifzüge in Attika, Morea, und besonders auf der Insel Kreta, II. *Abh. naturw. Ver. Bremen* **27(1)**: 92-124, pls. 1-2, f. 1-39.
- Roewer, C.F. 1938. Araneae. In Résultats scientifiques du Voyage aux îndes orientales néerlandaises de la SS. AA. RR. le Prince et la Princesse Leopold de Belgique. *Mém. Mus. Hist. nat. Belg.* **3**(19): 1-94, f. 1-71.
- Roewer, C.F. 1942. Katalog der Araneae von 1758 bis 1940. 1.Band 1040 pp. Bremen. [References: pp. 1-132]
- Roewer, C.F. 1951. Neue Namen einiger Araneen-Arten. *Abh. naturw. Ver. Bremen* **32(2)**: 437-456.
- Roewer, C.F. 1954. Katalog der Araneae von 1758 bis 1940, bzw. 1954. 2.Band, Abt. a. pp. 1-924 Bruxelles. [Genus *Cheiracanthium*: pp. 476-489]
- Roewer, C.F. 1961. IV. Opilioniden und Araneen. In Le Parc National de Niokolo-Koba, 2. *Mém. Inst. fr. Afr. noire* **62**: 33-81.
- Sadana, G.L. & Bajaj, K. 1980. A new Indian species of *Cheiracanthium* Koch (Araneida, Clubionidae). *Entomologist's mon. Mag.* **115**: 131-132.
- Saito, S. 1934a. A supplementary note on spiders from southern Saghalin, with descriptions of three new species. *Trans. Sapporo nat. Hist. Soc.* **13(3)**: 326-340, f. 1-10.
- Saito, S. 1934b. Spiders from Hokkaido. *Jour. Fac. agric. Hokkaido Imp. Univ.* **33(5)**: 267-362, pls. 12-15, 1-87.
- Saito, S. 1936. Arachnida of Jehol. Araneida. *Rep. First Sci. Exped. Manchoukuo* (Sect. 5; Div. 1) **3**: 1-88, f. 1-23 & pls. 1-32.
- Saito, S. 1939. On the spiders from Tohoku (northernmost part of the main island), Japan. *Saito Ho-on Kai Mus. Res. Bull.* **18**(Zool. 6): 1-91, f. 1-10; pl. 1, f. 1-21.
- Saito, S. 1959. *The Spider Book Illustrated in Colours*. Hokuryukan, Tokyo, 194 pp.

- Saveljeva, L.G. 1972. New species and subspecies of the family Clubionidae (Aranei) from the East-Kazakhstan district. *Zool. Zh.* **51**: 1404-1407.
- Schenkel, E. 1925. Beitrag zur Kenntnis der schweizerischen Spinnenfauna. *Rev. suisse zool.* **32**(19): 253-318, f. 1-14.
- Schenkel, E. 1963. Ostasiatische Spinnen aus dem Muséum d'Histoire naturelle de Paris. *Mém. Mus. natn. Hist. nat. Paris* (A, Zool.) **25**: 1-481.
- Schmidt, G.E.W. & Barensteiner, R. 2000. Vier Spinnen-Arten aus der Inneren Mongolei (Araneae: Lycosidae, Clubionidae, Gnaphosidae, Salticidae). *Ent. Z., Stuttgart* **110**: 43-48.
- Schmidt, G.E.W., Geisthardt, M. & Piepho, F. 1994. Zur Kenntnis der Spinnenfauna der Kapverdischen Inseln (Arachnida: Araneida). *Mitt. internat. entomol. Ver.* **19**: 81-126.
- Schmidt, G.E.W. & Jocqué, R. 1983. Spinnen von der Insel Réunion (Araneae). *Revue Zool. afr.* **97**: 353-364.
- Schmidt, G.E.W. & Krause, R.H. 1995. Weitere Spinnen von Cabo Verde (Schluss). *Ent. Z., Frankf. a. M.* **105**: 365-380.
- Shinkai, A., Yoshida, T. & Ito, H. 1991. Function of the paracymbium in the male *Chiracanthium japonicum*. *Atypus* **98/99**: 40-42.
- Simon, E. 1864. *Histoire naturelle des araignées*. Paris, Edit. 1. pp. 1-540, f. 1-207.
- Simon, E. 1878. *Les arachnides de France*. Paris, 4: 1-334, pls. 12-16..
- Simon, E. 1882. II. Etude sur les Arachnides du l'Yemen méridional. In Viaggio ad Assab nel Mar Rosso dei signori C.Doria ed O.Beccari con il r. Aviso exploratorio del 16 nov. 1879 ad 26 feb. 1881. *Ann. Mus. civ. stor. nat. Genova* **18**: 207-260, pl. 8, f. 1-23.
- Simon, E. 1884. Arachnides recueillis à Khartoum (Soudan égyptien) par M. Vossion, vice-consul de France et appartenant au Muséum de Paris. *Bull. Soc. zool. France* **9**: 1-28, pl. 1, f. 1-15.
- Simon, E. 1886. Etudes arachnologiques. 18e Mémoire. XXVI. Matériaux pour servir à la faune des Arachnides du Sénégal. (Suivi d'une appendice intitulé: Descriptions de plusieurs espèces africaines nouvelles). *Ann. Soc. ent. France* (6) **5**: 345-386.
- Simon, E. 1890. Etudes arachnologiques. 22e Mémoire. XXXIV. Etude sur les arachnides de l'Yemen. *Ann. Soc. ent. France* (6) **10**: 77-124.
- Simon, E. 1896. Etudes arachnologiques. 27e Mémoire. XLII. Descriptions d'espèces nouvelles de l'ordre des Araneae. *Ann. Soc. ent. France* **65**: 465-510, pls. 12-13.
- Simon, E. 1897a. *Histoire naturelle des araignées*. II. Edit., Paris, **2**(1): 1-192, f. 1-200.
- Simon, E. 1897b. Description d'arachnides nouveaux. *Ann. Soc. ent. Belg.* **41**: 8-17.
- Simon, E. 1897c. On the spiders of the island of St Vincent. III. *Proc. zool. Soc. Lond.* **1897**: 860-890.
- Simon, E. 1897d. Arachnides recueillis à l'île Madère par M. A. Fauvel en 1896. *Bull. Soc. ent. France* **1897**: 111-113.

- Simon, E. 1898. *Histoire naturelle des araignées*. II. Edit., Paris, **2(2)**: 193-380, f. 201-384..
- Simon, E. 1901a. Etude sur les arachnides recueillis au cours de la Mission de Bonchamps à travers l'Ethiopee, de Djibouti au Nil blanc (1897-1898). *Ann. Soc. ent. France* **70**: 18-66.
- Simon, E. 1901b. On the Arachnida collected during the Skeat expedition to the Malay Peninsula. *Proc. zool. Soc. Lond.* **1901(2)**: 45-84.
- Simon, E. 1903. Arachnides de la Guinée espagnole. *Mém. Soc. esp. hist. nat.* **1(3)**: 65-124.
- Simon, E. 1906. Arachnides (2e partie). In, Voyage de M. Maurice Maindron dans l'Inde méridionale. 8e Mémoire. *Ann. Soc. ent. France* **75**: 279-314, f. 1-4.
- Simon, E. 1909. Araneae. 2e partie. In Michaelsen & Hartmeyer, *Die Fauna Südwest-Australiens*. Jena, **2(12)**: 152-212, f. 1-14.
- Simon, E. 1910a. Arachnoidea. Araneae (ii). In, Schultze, L., Zoologische und anthropologische Ergebnisse einer Forschungsreise im Westlichen und zentralen Südafrika. *Denkschr. med. naturw. Ges. Jena*. **16**: 175-218.
- Simon, E. 1910b. Arachnides recueillis par L. Fea sur la côte occidentale d'Afrique. 2e partie. *Ann. Mus. civ. stor. nat. Genova* **44**: 335-449, f. 4-21.
- Simon, E. 1918. Notes sur la synonymie de plusieurs araignées de la famille des Clubionidae. *Bull. Soc. ent. France* **1918**: 201-202.
- Simon, E. 1932. *Les arachnides de France. (Berland, L. & Fage, L.). Tome VI. Synopsis générale et catalogue des espèces françaises de l'ordre des Araneae; 4e partie*. Paris, **6(4)**: 773-978, f. 1113-1501.
- Soares, B.A.M. & Camargo, H.F.de A. 1948. Aranhas coligidas pela Fundação Brasil-Central (Arachnida-Araneae). *Bolm Mus. Para. Emilio Goeldi* **10**: 355-409, pls. 1-4, f. 1-88.
- Song, D.X. 1980. [Farm Spiders]. Science Press, Beijing, 247 pp.
- Song, D.X. 1987. *Spiders from agricultural regions of China (Arachnida: Araneae)*. Agriculture Publishing House, Beijing.
- Song, D.X., Chen, X.E. & Hou, J.W. 1990. A new species of the genus *Chiracanthium* from China (Araneae : Clubionidae). *Acta zootaxon. sin.* **15**: 427-430.
- Song, D.X., Feng, Z.Q. & Shang, J.W. 1982. A new species of the genus *Chiracanthium* from China (Araneae: Clubionidae). *Zool. Res. Kunming* **3(suppl.)**: 73-75.
- Song, D.X., Yu, S.Y. & Shang, J.W. 1981. A preliminary note on spiders from Inner Mongolia. *Acta Sci. nat. Univ. Intramongolicae* **12**: 81-92.
- Song, D.X., & Zheng, S.X. 1981. A supplement note on three species of spiders from China. *Zool. Res. Kunming* **2**: 349-352.
- Song, D.X., Zhu, M.S. & Chen, J. 1999. *The Spiders of China*. Hebei Sci. Technol. Publ. House, Shijiazhuang, 640 pp.
- Sterghiu, C. 1985. Fam. Clubionidae. In *Fauna Republicii Socialiste România: Arachnida, Volumul V, Fascicula 4*. Academia Republicii Socialiste România,

Bucharest.

- Strand, E. 1906a. Diagnosen nordafrikanischer, hauptsächlich von Carlo Freiherr von Erlanger gesammelter Spinnen. *Zool. Anz.* **30(19-20)**: 604-637 & 656-690.
- Strand, E. 1906b. Tropischafrikanische Spinnen des Kgl. Naturalien-kabinetts in Stuttgart. *Jahresh. Ver. Naturk. Württbg.* **62**: 13-103, f. 1-13.
- Strand, E. 1907a. Vorläufige Diagnosen afrikanischer und südamerikanischer Spinnen. *Zool. Anz.* **31(17-18)**: 525-558.
- Strand, E. 1907b. Vorläufige Diagnosen süd- und ostasiatischer Clubioniden, Ageleniden, Pisauriden, Lycosiden, Oxyopiden und Salticiden. *Zool. Anz.* **31(17-18)**: 558-570.
- Strand, E. 1907c. Diagnosen neuer Spinnen aus Madagaskar und Sansibar. *Zool. Anz.* **31(23)**: 725-748.
- Strand, E. 1907d. Afrikanische Spinnen (exkl. Aviculariiden) hauptsächlich aus dem Kapland. *Zool. Jahrb. Syst.* **25(5-6)**: 557-731.
- Strand, E. 1908a. Beiträge zur Spinnenfauna Madagaskars. (Forts.) *Nyt Mag. Naturw. Christiania* **46(2)**: 97-227.
- Strand, E. 1908b. Exotisch araneologisches.-I. Amerikanische hauptsächlich in Peru, Bolivien und Josemitetal in Californien gesammelte Spinnen. -II. Spinnen aus Kamerun. -III. Übersicht der bekannten Hysteroocrates-Arten. -IV. Zur Kenntnis der Aranaceae rufipalpis (Luc.) *Jahrb. Nassau. Ver. Naturk.* **61**: 223-295.
- Strand, E. 1908c. Nordafrikanische, hauptsächlich von Carlo Freiherr von Erlanger gesammelte Clubioniden. *Arch. Math. Naturvid. Christiania* **29(2)**: 1-70.
- Strand, E. 1909. Süd- und ostasiatische Spinnen. II. Fam. Clubionidae. Fam. Salticidae. *Abh. naturf. Ges. Görlitz* **26**: 1-128, f. 22-50.
- Strand, E. 1911a. Aranaceae von den Aru- und Kei-Inseln. *Abh. senckenb. naturf. Ges.* **34(2)**: 127-199.
- Strand, E. 1911b. Spinnentiere aus Neu-Guinea (Opiliones, Psechridae und Clubionidae) gesammelt von Dr. Schlaginhaufen. *Abh. Ber. zool. Mus. Dresden* **13(5)**: 1-16.
- Strand, E. 1915. Dritte Mitteilung über Spinnen aus Palästina, gesammelt von Herrn Dr J. Aharoni. *Arch. Naturg.* **81(A; 2)**: 134-171.
- Strand, E. 1916a. Systematische-faunistische Studien über paläarktische, afrikanische und amerikanische Spinnen des senckenbergischen Museums. *Arch. Naturg.* **81(A; 9)**: 1-153.
- Strand, E. 1916b. Zentralafrikanische Clubioniden. In Wissenschaftliche Ergebnisse der Deutschen Zentral Afrika Expedition 1907-1908, unter Fuhrung Adolp Friedrichs, Herzogs zu Mecklenberg. *Arch. Naturg.* **81(A; 11)**: 79-98.
- Strand, E. 1917. Arachnologica varia XIV-XVIII. *Arch. Naturg.* **82(A; 2)**: 70-76.
- Sundevall, C.J. 1832. Svenska Spindlarnes beskriftning. Fortsättning och slut. *Kongl. Svenska Vet. Ak. Handl.* **1832**: 171-272.
- Thaler, K. 1981. Bemerkenswerte Spinnenfunde in Nordtirol (Österreich). *Veröff. Mus. Ferdinandeaum Innsbr.* **61**: 105-150.

- Thorell, T. 1870. *Remarks on synonyms of European spiders. Part I.* Uppsala, pp. 1-228.
- Thorell, T. 1873. Remarks on Synonyms of European Spiders. *Nova Act. Reg. Soc. Sci. Upsaliae* (3) 7: 375-644.
- Thorell, T. 1875a. Verzeichniss südrussischer Spinnen. *Horae Soc. ent. Ross.* 11: 39-122.
- Thorell, T. 1875b. Descriptions of several European and North African spiders. *Kongl. Svenska Vet.-Akad. Handl.* 13(5): 1-203.
- Thorell, T. 1878. Studi sui ragni Malesi e Papuanti. II. Ragni di Amboina raccolti Prof. O. Beccari. *Ann. Mus. civ. stor. nat. Genova* 13: 5-317.
- Thorell, T. 1881. Studi sui ragni Malesi e Papuanti. III. Ragni dell'Astro Malesia e del Capo York, conservati nel Museo civico di storia naturale di Genova. *Ann. Mus. civ. stor. nat. Genova* 17: 1-727.
- Thorell, T. 1887. Viaggio di L. Fea in Birmania e regioni vicine. II. Primo saggio sui ragni birmani. *Ann. Mus. civ. stor. nat. Genova* 25: 5-417.
- Thorell, T. 1890. Studi sui ragni Malesi e Papuanti. IV, 1. *Ann. Mus. civ. stor. nat. Genova* 28: 1-419.
- Thorell, T. 1891. Spindlar från Nikobarerna och andra delar af södra Asien. *Kongl. Svenska Vet.-Acad. Handl.* 24(2): 1-149.
- Thorell, T. 1895. *Descriptive catalogue of the spiders of Burma.* London, pp. 1-406.
- Thorell, T. 1897. Viaggio di Leonardo Fea in Birmania e regioni vicine. LXXIII. Secondo saggio sui ragni Birmani. I. Parallelodontes. Tubitellariae. *Ann. Mus. civ. stor. nat. Genova* (2) 17[=37]: 161-267.
- Thorell, T. 1899. Araneae Camerunenses (Africae occidentalis) quas anno 1891 collegerunt Cel. Dr Y. Sjöstedt aliique. *Bih. Svenska Vet.-Akad. Handl.* 25(4; 1): 1-105.
- Tikader, B.K. 1962. Studies on some Indian spiders (Araneae: Arachnida). *J. Linn. Soc. (Zool.)* 44: 561-584.
- Tikader, B.K. 1969. Studies on spider fauna of Khasi and Jaintia hills, Assam, India. Part III. *J. Assam Sci. Soc.* 11: 154-163.
- Tikader, B.K. 1975. A new species of spider of the genus *Cheiracanthium* Koch (family Clubionidae) from India. *J. Bombay nat. Hist. Soc.* 72: 43-45.
- Tikader, B.K. 1976. Two new species of spiders of the genera *Cheiracanthium* Koch and *Cubionia* Latreille (family: Clubionidae) from India. *J. Bombay nat. Hist. Soc.* 73: 175-177.
- Tikader, B.K. 1977. Studies on spider fauna of Andaman and Nicobar islands, Indian Ocean. *Rec. zool. Surv. India* 72: 153-212.
- Tikader, B.K. & Biswas, B. 1981. Spider fauna of Calcutta and vicinity: Part-I. *Rec. zool. Surv. India, Occ. Pap.* 30: 1-149.
- Tullgren, A. 1946. *Svenska spindelfauna: 3. Egentliga spindlar. Araneae. Fam. 5-7. Clubionidae, Zoridae och Gnaphosidae.* Entomologiska Föreningen, Stockholm, pp. 1-147, pls. 1-21, f. 1-275.

- Tyschichenko, V.P. 1971. *Opredelitel' paukov evropejskoj casti SSSR*. Leningrad, pp. 1-281.
- Urones, C. 1988. Las especies de *Chiracanthium* C. L. Koch, 1939 [sic] (Araneae: Clubionidae) en la Península Ibérica. *Graellsia* **43**: 139-152.
- Uyemura, T. 1937. [How to discriminate between two related species (1)]. *Acta arachn. Tokyo* **2**: 55-64.
- Villers, C.de. 1789. *Caroli Linnaei entomologia, faunae Suecicae descriptionibus aucta*. Lugduni, 4: 86-130 (pl. 11, f. 9).
- Walckenaer, C.A.de 1802. *Faune parisienne. Insectes. ou Histoire abrégée des insectes des environs de Paris*. Paris **2**: 187-250.
- Walckenaer, C.A.de 1805. *Tableau des aranéides ou caractères essentiels des tribus, genres, familles et races que renferme le genre Aranea de Linné, avec la désignation des espèces comprises dans chacune de ces divisions*. Paris, 88 pp., 9 pls., 88 f.
- Walckenaer, C.A.de 1830. Aranéides. In *Faune française ou histoire naturelle générale et particulière des animaux qui se trouvent en France, constamment ou passagèrement, à la surface du sol, dans les eaux qui le baignent et dans le littoral des mers qui le bornent par Viellot, Desmarrey, Ducrotay, Audinet, Lepelletier et Walckenaer*. Paris, livr. 26: 97-175.
- Walckenaer, C.A.de 1837. *Histoire naturelle des insectes. Aptères*. Paris, 1: 1-682, pls. 1-15.
- Wegner, G.S. 1994. Sac spiders. *Natl. Pest Control Assoc. techn. Release* ESPC 039171-039176.
- Westring, N. 1861. Araneae Svecicae. *Göteborg. Kongl. Vet. Handl.* **7**: 1-615.
- Wider, F. 1834. Beschreibung der Arachniden. In Reuss, A., Zoologischen Miscellen. *Mus. Senck. (Abh.)* **1**: 195-282, pls. 14-18.
- Wielile, H. 1967a. Beiträge zur Kenntnis der deutschen Spinnenfauna, V. (Arach., Araneae). *Senckenberg. Biol.* **48**: 1-36.
- Wielile, H. 1967b. *Meta*,-eine semientelegyne Gattung der Araneae (Arach.). *Senckenberg. biol.* **48**: 183-196.
- Wielile, H. 1967c. Steckengebliebene Emboli in den Vulven von Spinnen (Arach., Araneae). *Senckenberg. biol.* **48**: 197-202.
- Wolf, A. 1991. Taxonomical studies on *Cheiracanthium erraticum* (Walckenaer, 1802) and *Cheiracanthium pennyi* O. P.-Cambridge, 1873 (Araneae, Clubionidae). *Zool. Beitr.* **33**: 233-245.
- Workman, T. 1896. *Malaysian spiders*. Belfast, pp. 25-104, pls. 1-104.
- Wunderlich, J. 1987. *Die Spinnen der Kanarischen Inseln und Madeiras: Adaptive Radiation, Biogeographie, Revisionen und Neubeschreibungen*. Triops Verlag, Langen, West Germany.
- Xie, L.P., Yin, C.M., Yan, H.M. & Kim, J.P. 1996. Two new species of the family Clubionidae from China (Arachnida: Araneae). *Korean Arachnol.* **12**(1): 97-101.
- Xu, G.Y. & Zhang, Y.J. 1993. A new report of the spider genus *Cheiracanthium* from China (Araneae: Clubionidae). *Acta arachn. sin.* **2**: 94-96.

- Xu, Y.J. 1993. A new species of spider of the genus *Chiracanthium* from China (Araneae: Clubionidae). *Acta arachn. sin.* **2**: 27-28.
- Yaginuma, T. 1960. *Spiders of Japan in colour*. Hoikusha, Osaka, 186 pp.
- Yaginuma, T. 1966a. [Discriminative aspects of *Chiracanthium* spp.]. *Atypus* **39**: 38.
- Yaginuma, T. 1966b. [A revision of species in "Spiders of Japan in colour"]. *Atypus* **40**: 35-36.
- Yaginuma, T. 1967. Revision and new addition to fauna of Japanese spiders, with descriptions of seven new species. *Lit. Dep. Rev. Otemon Gakuin Univ. Osaka* **1**: 87-107.
- Yaginuma, T. 1971. *Spiders of Japan in colour* (enlarged and revised edition). Hoikusha, Osaka, 197 pp.
- Yaginuma, T. 1977. A list of Japanese spiders (revised in 1977). *Acta arachn. Tokyo* **27**(Spec. No.): 367-406.
- Yaginuma, T. 1986. *Spiders of Japan in color* (new ed.). Hoikusha Publ. Co., Osaka.
- Yamakawa, M. & Kumada, K. 1979. [Spiders of Tanzawa mountain area]. *Atypus* **74**: 1-14.
- Yoshikura, M. 1987. *The biology of spiders*. Japan Scientific Societies Press, Tokyo.
- Zhang, G.R. 1994. Two newly recorded species of genus *Chiracanthium* from China (Araneae: Clubionidae). *Acta arachn. sin.* **3**: 133-134.
- Zhang, G.R., Hu, Y.J. & Zhu, C.D. 1994. A new species and a newly recorded species of the genus *Chiracanthium* (Araneae: Clubionidae) from China. *Acta arachn. sin.* **3**: 8-10.
- Zhang, G.R. & Zhu, C.D. 1993a. A new species and a newly recorded species of the genus *Chiracanthium* (Araneae: Clubionidae) from Zhangjiajie, China. *Acta arachn. sin.* **2**: 76-79.
- Zhang, G.R. & Zhu, C.D. 1993b. Two new species of the genus *Chiracanthium* from China (Araneae: Clubionidae). *Sichuan J. Zool.* **12**(4): 5-6.
- Zhang, G.R., Zhu, C.D. & Hu, Y.J. 1993. Three new species of spiders (Arachnida: Araneae) from China. *Nat. Enemies Insects* **15**: 106-111.
- Zhang, Y.J. & Yin, C.M. 1999. Two new species of the genus *Cheiracanthium* from China with notes on male spiders of two species (Araneae: Clubionidae). *Acta zootaxon. Sin.* **24**: 285-290.
- Zhang, W.S. (ed.) 1987. [*Farm spiders from Hubei Province*]. Hubei Sci. Tech. Press, 299 pp.
- Zhao, J.Z. 1993. *Spiders in the Cotton Fields in China*. Wuhan Publishing House, Wuhan, China, 552 pp.
- Zhu, M.S., et al. (eds.) 1985. [*Crop field spiders of Shanxi Province*]. Agriculture Planning Committee of Shanxi Province.

\*\*\*\*\*